


## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



831B  
41 Index

UNITED STATES DEPARTMENT OF AGRICULTURE  
BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE



INSECT PEST SURVEY BULLETIN

Vol. 21

1941

Index

REMEMBER PEARL HARBOR

	<u>No.</u>	<u>Page</u>
Bradley, W. G.: "The field status of parasites of the European corn borer at the close of the 1940 season." With C. A. Clark-----	9(Sup.)	787-794
Cartwright, W. B.: "Hessian fly survey at harvest-time"-----	6(Sup.)	485-487
Charles, Vera K.: "A preliminary check list of entomogenous fungi of North America"-----	9(Sup.)	707-785
Clark, C. A.: "Liberations of European corn borer parasites in the United States in 1941"-----	8(Sup.)	621-624
Clark, C. A.: "The field status of parasites of the European corn borer at the close of the 1940 season." With W. G. Bradley-----	9(Sup.)	787-794
"Entomogenous fungi of North America, a preliminary check List," by Vera K. Charles-----	9(Sup.)	707-785
Entomophthoraceae of North America, with insect hosts	9(Sup.)	724-731
"European corn borer, parasites, field status at close of 1940 season," article by W. G. Bradley and C. A. Clark-----	9(Sup.)	787-794
"European corn borer parasites, liberations in the United States in 1941," article by C. A. Clark---	8(Sup.)	621-624
"European corn borer, status in 1941," article by A. M. Vance-----	9(Sup.)	669-682
"Fungi, entomogenous of North America, a preliminary check list," by Vera K. Charles-----	9(Sup.)	707-785
Gnorimoschema operculella Zell., records on distribution in the United States-----	9(Sup.)	683-705

	<u>No.</u>	<u>Page</u>
"Grasshoppers, species and distribution in the 1939 outbreak," article by Robert L. Shotwell-----	5(Sup.)	295-395
"Hessian fly survey at harvesttime, 1941," article by W. B. Cartwright-----	6(Sup.)	485-487
Insect Pest Survey, reporters, list-----	1	1-9
Insects, hosts of entomogenous fungi in North America	9(Sup.)	709-785
"Japanese beetle parasite liberations, including the year 1940, summary," article by J. L. King and L. B. Parker-----	3(Sup.)	127-138
King, J. L.: "Summary of Japanese beetle/parasite liberations, including the year 1940." With L. B. Parker----	3(Sup.)	127-138
"North America, entomogenous fungi of, a preliminary check list," by Vera K. Charles-----	9(Sup.)	707-785
"Parasites, European corn borer, field status at close of 1940 season," article by W. G. Bradley and C. A. Clark-----	9(Sup.)	787-794
"Parasites, European corn borer, liberation in the United States in 1941," article by C. A. Clark-	8(Sup.)	621-624
"Parasites, Japanese beetle, liberations including the year 1940, summary," article by J. L. King and L. B. Parker-----	3(Sup.)	127-138
Parker, L. B.: "Summary of Japanese beetle parasite liberations, including the year 1940." With J. L. King-----	3(Sup.)	127-138
Potato tuber worm ( <u>Gnorimoschema operculella</u> Zell.) records on distribution in the United States----	9(Sup.)	683-705
Reporters for Insect Pest Survey, list-----	1	1-9
Shotwell, Robert L., article on "The species and distribution of grasshoppers in the 1939 outbreak"-----	5(Sup.)	295-395
Vance, A. M.: "Status of the European corn borer in 1941"-----	9(Sup.)	669-682

(Owing to the shortage of paper, the list of common names is being omitted. Previous indexes may be used for reference to common names. For list of the names approved by the American Association of Entomologists see Jour. Econ. Ent. 35: 1,83-101, February 1942.)

	No.	Page
Abagrotis alternata Grote -----	4	151
Abagrotis barnesi Benj. -----	3	73
Acantholyda erythrocephala L. -----	4	207
	6	464
Acanthoscelides obtectus (Say) -----	7	560
	8	619
Acarina -----	1	30
	4	173
Aceratagallia sanguinolenta Prov. -----	9	634
Achorutes nivicola Fitch -----	3	126
Achrastenus griseus Horn -----	3	91
Acrididae -----	2	38
	3	70-71
	4	139, 142-148
	5	223, 225, 223-233
	5 (Sup.)	295-395
	6	397, 401-407
	7	489, 491, 494-498
	8	563, 565-566
	9	626, 628
	10	795, 796-797
Acrobasis caryae Grote -----	3	95
	6	398, 431
	8	582
Acrobasis juglandis (Le B.) -----	3	94
	4	179
	5	254
Acrobasis sp. -----	3	94
Acrolophitus hirtipes Say -----	5 (Sup.)	336, 349, 362, 393
Acrolophus sp. -----	8	573
Acrosternum hilare (Say) -----	6	428
	9	625, 642
Adelges abietis (L.) -----	2	54
	3	111
	4	209
	5	281
	6	468
Adelges cooleyi (Gill.) -----	3	111
	4	209
	6	468
	7	548
Adelphocoris rapidus (Say) -----	7	539
Aedes campestris D. & K. -----	4	214
Aedes canadensis (Theob.) -----	7	554
Aedes dorsalis (Wg.) -----	3	117
	4	214
	5	288, 289
	6	476
	7	554, 555
	8	613
Aedes increpitus Dyar -----	3	117
Aedes infirmatus D. & K. -----	7	554
Aedes lateralis (Wg.) -----	5	289
Aedes nigromaculis (Ludl.) -----	7	554, 555



	No.	Page
<i>Aedes sollicitans</i> (Wlk.) -----	4	214
	5	288
	7	554
	8	612
	10	816
<i>Aedes</i> spp. -----	3	117
	7	554
<i>Aedes taenioshynchus</i> (Wied.) -----	7	554
	8	612
	10	816
<i>Aedes triseriatus</i> (Say) -----	8	612
<i>Aedes vexans</i> (Mg.) -----	5	289
	7	554, 555
	8	613
<i>Aeoleus livens</i> Lec. -----	5	236
<i>Aeoloplus</i> (sp.) -----	5 (Sup.)	358
<i>Aeoloplus tenuipennis</i> Scudd. -----	5 (Sup.)	383
<i>Aeoloplus turnbullii</i> Thos. -----	3	70
	4	142, 143, 144, 145
	5	229, 230
	5 (Sup.)	297, 318, 321, 324, 325, 349, 362, 374, 393
	6	402, 404, 405
	10	796
<i>Aeoloplus turnbullii bruneri</i> Caud. -----	5 (Sup.)	318, 321, 324, 335, 336, 337, 354, 356, 366, 367, 369, 374, 380, 381
<i>Aerochoreutes carlineanus</i> Thos. -----	5 (Sup.)	349, 362
<i>Aeropedellus clavatus</i> Thos. -----	5 (Sup.)	317, 318, 321, 324, 343, 349, 362, 374, 393
<i>Ageneotettix deorum</i> (Scudd.) -----	4	145
	5 (Sup.)	314, 318, 321, 324, 327, 330, 333, 334, 336, 338, 339, 340, 341, 343, 346, 347, 348, 349, 351, 352, 353, 354, 356, 358, 361, 362, 365, 367, 369, 371, 373, 374, 377, 378, 383, 390, 391, 393, 395.
	6	406
<i>Agonoderus lecontei</i> Chaud. -----	2	41
	6	483
<i>Agonoderus</i> sp. -----	5	243
<i>Agrilus anxius</i> Gory -----	4	201
	6	456
	7	491, 542
	8	602
<i>Agrilus communis rubicola</i> Per. -----	8	611
<i>Agrilus ruficollis</i> (F.) -----	8	580
<i>Agriolimax agrestis</i> L. -----	1	15
	2	42
	6	435
	9	642
<i>Agriotes mancus</i> (Say) -----	9	628
<i>Agromyza simplex</i> Loew -----	8	592
<i>Agrotis badinotis</i> Grote -----	9	630
<i>Agrotis bicarnea</i> Guen. -----	4	150

	<u>No.</u>	<u>Page</u>
<i>Agrotis orthogonia</i> Morr. -----	2	38
	3	73
	4	151
	5	225
	9	630
<i>Agrotis ypsilon</i> (Rott.) -----	1	11
	3	73
	4	150, 151
	4	237
	7	502
	9	629
<i>Alabama argillacea</i> (Hbn.) -----	4	141, 195
	5	270
	6	399, 450
	7	490, 533-535
	8	597-599
	9	626, 649-651
	10	809-810
<i>Aleyrodidae</i> -----	2	55
	7	539, 550
	8	600
	9	659
<i>Allocoris virilis</i> McA. & M. -----	6	475
<i>Allotropa</i> sp. -----	3	89
	7	514
<i>Alsophila pometaria</i> (Harr.) -----	1	23
	2	51
	3	106
	4	198
	5	271
<i>Altica chalybea</i> (Ill.) -----	4	178
<i>Amblycorypha oblongifolia</i> Deg. -----	5 (Sup.)	362
<i>Amblyomma americanum</i> (L.) -----	3	121
	4	215
	6	479
<i>Amblyomma maculatum</i> Koch -----	4	215
	5	291
	8	615
<i>Amedoria luctuosa</i> Meig. -----	6	420
	7	509
<i>Amphitornus coloradus</i> (Thos.) -----	5 (Sup.)	318, 321, 327, 349, 351, 354, 362, 365, 371, 372, 374, 383, 387, 393
<i>Amphorophora crataegi</i> Tissot -----	8	610
<i>Amphorophora ribiella</i> Davis -----	4	177
<i>Anabrus simplex</i> Hald. -----	2	37, 38
	3	67, 71-72
	4	139, 148-150
	5	223, 233-234
	6	397, 407-409
	7	489, 498-499
	10	797
<i>Anacentrinus suönudus</i> Buch. -----	1	15
<i>Anaphothrips obscurus</i> (Mull.) -----	6	477

	No.	Page
Anarsia lineatella Zell. -----	1	17
	2	45
	4	175
	6	429
	8	563, 579
Anasa tristis (Deg.) -----	5	264-265
	6	443
	7	528
	8	591-592
	9	647
Anastrepha ludens (Loew) -----	10	803
Ancylis comptana (Froel.) -----	3	103
	4	191-192
	5	266
	6	446
	8	594
Andrector ruficornis Oliv. -----	7	510
Andricus clavulus O.S. -----	1	26
	3	109
	4	206
	6	463
Andricus coronus Beutm. -----	4	206
Andricus foliatus Ashm. -----	8	605
Andricus punctatus Bass. -----	2	53
Anisandrus pyri Peck -----	3	93
Anisota rubicunda (F.) -----	5	277
	6	461
	7	546
Anisota senatoria (A. & S.) -----	9	656
Anomala lucicola F. -----	6	475
Anomala oblivia Fom -----	5	279
Anomala orientalis Wthr. -----	3	77
	4	156
	9	629
Anomala undulata Melsh. -----	4	156
	6	411-412
	9	629
Anopheles crucians Wied. -----	7	554
Anopheles maculipennis Meig. -----	7	555
	9	662
Anopheles pseudopunctipennis Theob. -----	6	476
Anopheles punctipennis (Say) -----	7	555
	9	662
Anopheles quadrimaculatus Say -----	7	554
Anopheles sp. -----	8	613
Anoplura -----	3	121
Anthonomus eugenii Cano -----	2	37, 49
	5	267
	6	399, 447
	7	531
	8	594
	10	805-806
Anthonomus grandis Boh. -----	1	23
	2	50



	No.	Page
Anthonomus grandis Boh. (Contd.) -----	3	68,104-105
	4	141,193-194
	5	224,268-269
	6	399,448-450
	7	490,532-533
	8	564,595-596
	9	626,648-649
	10	795,808-809
Anthonomus scutellaris Lec. -----	6	429
Anthonomus signatus Say -----	3	68,103
	4	191
Anthrenus museorum (L.) -----	1	36
Anthrenus scrophulariae (L.) -----	2	63
	9	667
Anthrenus verbaschi (L.) -----	2	63
	3	125
	5	293
	9	667
Anthrenus vorax Wtrh. -----	2	63
Anticarsia gemmatilis (Hbn.) -----	7	503
	8	563,574
	9	625,635
Antipus laticlavaria (Forst.) -----	6	412
Anuraphis cardui (L.) -----	4	176
Anuraphis maidi-radicis (Forbes) -----	4	161
	6	421
Anuraphis roseus Baker -----	2	44
	3	88
	4	170,171
	5	227,248
	6	426
Anychus clarki McG. -----	4	180
	5	255
	6	432
Aonidiella aurantii (Mask.) -----	7	519
Aonidiella citrina (Coq.) -----	5	254
Apanteles flaviconchae Riley -----	1	14
	7	509
	8	573
Apanteles phobetri Roh. -----	6	469
Apantesis vittata phalerata Harr. -----	3	104
Aphiidae -----	1	30
	2	44,48,49
	3	68,88-89,95,100,106
	4	140,170-171,178,189,196-197
		203,208,213
	5	269-270
	6	399,421,443,451-452
	7	491,524,537-539
	8	599-600
	9	646

	No.	Page
<i>Aphis abietana</i> Wlk. -----	7	548
	10	810-811
<i>Aphis gossypii</i> Glov. -----	4	196
	5	270
	6	444-445, 452
	7	529, 538
	8	592, 600
	9	652
<i>Aphis illinoisensis</i> Shim. -----	3	94
<i>Aphis maidis</i> Fitch -----	6	421
	7	508
<i>Aphis medicaginis</i> Koch -----	5	246
	7	545
<i>Aphis pawneepae</i> Hottes -----	3	111
<i>Aphis pomi</i> Deg. -----	2	44
	3	88
	4	170
	5	248
	6	426
	7	513
	8	578
<i>Aphis rhamni</i> Fonsc. -----	6	436
<i>Aphis rociadae</i> Ckll. -----	6	472
<i>Aphis rumicis</i> L. -----	1	21
	4	212, 213
	5	288
	6	447
<i>Aphis spiraeicola</i> Patch -----	1	18
	2	37, 47
	3	68, 95-96, 117
	4	179, 213-214
	5	288
<i>Aphis varians</i> Patch -----	4	177
	5	252
	6	430
	8	580
<i>Aphis viburnicola</i> Gill. -----	3	117
	4	213
	5	288
<i>Apion nigrum</i> Hbst. -----	6	461
<i>Apion troglodytes</i> Mann. -----	6	472
<i>Aplomya caesar</i> Ald. -----	9 (Sup.)	788, 792
<i>Archips fervida</i> Clem. -----	6	462
<i>Argas miniatus</i> Koch -----	6	480
	8	616
<i>Arge pectoralis</i> Leach -----	8	603
<i>Arge scapularis</i> Klug -----	7	543
<i>Argyresthia thuiella</i> (Pack.) -----	4	211
	6	471
<i>Argyrotaenia velutinana</i> (Wlk.) -----	4	169
<i>Argytoxa semipurpurana</i> Kearf. -----	4	205-206
<i>Arphia conspersa</i> Scudd. -----	5 (Sup.)	362

	No.	Page
<i>Arphia pseudonietana</i> (Thos)-----	5 (Sup.)	318, 321, 327, 339, 340, 343, 349, 354, 358, 362, 371, 372, 374, 383, 387, 388, 390, 391, 393.
<i>Arphia simplex</i> Scudd. -----	5 (Sup.)	367
<i>Arphia</i> sp. -----	5 (Sup.)	362
<i>Arphia sulphurea</i> (F.) -----	5 (Sup.)	330, 390
<i>Arphia xanthoptera</i> Burm. -----	5 (Sup.)	330
<i>Asaphes americana</i> Gir. -----	7	549
<i>Aspidiotus ancylus</i> (Putn.) -----	2	52
	3	108
<i>Aspidiotus cyanophylli</i> Sign. -----	4	222
<i>Aspidiotus destructor</i> Sign. -----	8	584
<i>Aspidiotus forbesi</i> Johns. -----	1	16
<i>Aspidiotus hederæ</i> (Vallot) -----	2	55
	6	474
	8	611
<i>Aspidiotus ithacæ</i> (Ferris) -----	5	280
<i>Aspidiotus juglans-regiæ</i> Comst. -----	3	109
<i>Aspidiotus lataniæ</i> Sign. -----	1	27
	2	52
<i>Aspidiotus perniciosus</i> Comst. -----	1	15-16
	2	43
	3	83-84
	4	165
	5	283
	6	423
	7	511
	8	576
	9	625, 636
<i>Atalopedes campestris</i> Bdv. -----	9	635
<i>Atta texana</i> Buckley -----	1	12
<i>Attagenus piceus</i> (Oliv.) -----	1	35
	2	63
	3	125
	4	221
	5	293
	6	469
<i>Atteva aurea</i> Fitch -----	7	549
<i>Aulacaspis pentagona</i> (Targ.) -----	2	43
	4	165
	5	283
	6	423
	7	511
	8	576, 609
	9	636
<i>Aulacaspis rosæ</i> (Bouché) -----	8	611
<i>Aulocara elliotti</i> Thos. -----	3	70
	4	143, 147
	5 (Sup.)	318, 321, 324, 328, 336, 349, 351, 354, 356, 358, 360, 362, 367, 371, 372, 374, 377, 380, 383, 393, 395
	6	404
	7	489

	<u>No.</u>	<u>Page</u>
Aulocara sp. -----	4	147
Autographa brassicae (Riley) -----	1	22
	2	48
	7	527,537
	8	590
	9	626,645-646
Autographa californica (Speyer) -----	8	587
Autoserica castanea (Arrow) -----	3	77
Baliosus ruber (Weber) -----	6	400,462
	8	604
Baptisia sp. -----	8	574
Bassus agilis Cress. -----	9 (Sup.)	792
Bassus stigmaterus Cress -----	10	800
Bathyplectes curculionis (Thoms.) -----	1	14
	2	441
	3	81
Benacus griseus Say -----	3	126
Blaberus craniifer Burm. -----	6	482
Blapstinus rufipes Csy. -----	3	96
	7	517
Blatta orientalis L. -----	3	124
	4	219
	5	293
	6	482
Blattella germanica (L.) -----	1	34
	2	62
	3	124
	5	293
	6	482
	7	559
	8	617-618
	9	667
Blennocampa rubi (Harr.) -----	5	252
Blepharida rhois Forst. -----	3	111
	5	281
	6	468
Blissus hirtus Montd. -----	3	112
	4	210
	6	471
	7	549-550
	8	608
Blissus insularis Barber -----	7	550
	8	608
Blissus leucopterus (Say) -----	1	10,13
	2	37,40
	3	67,78
	4	158-159
	5	223,239-240
	6	398,416-417
	7	507-508
	8	570
	9	625,633
	10	795,797-798



	<u>No.</u>	<u>Page</u>
Boopedon nubilum Say -----	5 (Sup.)	318, 321, 335, 354, 362, 367, 374, 380, 381, 393
Bostrichus bocornis Web. -----	3	90
Bovicola bovis (L.) -----	2	59
	3	121
Brachyrhinus ovatus (L.) -----	2	62
	3	68, 103
	4	192
	6	446
	7	553, 561
	9	647, 666
Brachyrhinus rugosostriatus (Goeze) -----	6	446
	7	561
Brachyrhinus sulcatus (F.) -----	4	210
	6	446
Brachystola magna (Gir.) -----	5	229
	5 (Sup.)	333, 336, 349, 354, 367, 374, 393
Brevicoryne brassicae (L.) -----	1	22
	3	101
	8	591
Bruchus brachialis Fahraeus -----	4	164
	10	799
Bruchus pisorum (L.) -----	3	100
	4	188
	5	263
	6	441
	10	806
Bruneria brunnea Thos. -----	5 (Sup.)	349, 351, 393, 395
Bryobia praetiosa Koch -----	3	119
	4	219
	5	245
Bucculatrix canadensisella Chamb. -----	6	456
	8	602
	9	654
Bucculatrix thurberiella Busck -----	7	537
	8	599
Byturus unicolor Say -----	4	176
Cacoecia argyrospila (Walk.) -----	1	16
	2	44
	3	87
	4	140, 168-169
	5	247-248
	6	425
Cacoecia cerasivorana (Fitch) -----	6	429
Cacoecia conflictana Wlk. -----	6	466
Cacoecia fumiferana (Clem.) -----	5	281
	6	467
	7	493
	8	606
	10	810



	No.	Page
<i>Cacoecia obsoletana</i> Wlk. -----	5	267
	7	510
	8	573
<i>Cacoecia rosaceana</i> (Harr.) -----	7	512
<i>Calendra aequalis</i> (Gyll.) -----	6	420
<i>Calendra callosa</i> Oliv. -----	5	243
<i>Calendra cariosa</i> Oliv. -----	5	243
<i>Calendra maidis</i> (Chitt.) -----	5	243
<i>Calendra phoeniciensis</i> Chitt. -----	3	83
<i>Caliroa aethiops</i> (F.) -----	5	287
<i>Caliroa cerasi</i> (L.) -----	6	423
	7	517
	8	580, 610
<i>Caliroa</i> sp. -----	6	463
<i>Callidium antennatum</i> Newm. -----	7	560
<i>Callimome druparum</i> (Boh.) -----	6	426
<i>Callirhytis punctata</i> Bass. -----	6	463
<i>Callosobruchus maculatus</i> (F.) -----	4	164
	6	422
<i>Calomycterus setarius</i> Roelofs -----	6	412
	7	489, 501
<i>Calosoma frigida</i> F. -----	6	454
<i>Calosoma</i> sp. -----	6	419, 454
<i>Calpodes ethlius</i> (Cram.) -----	8	609
<i>Cameraria</i> sp. -----	5	278
<i>Camnula pellucida</i> (Scudd.) -----	4	145, 147
	5	232, 233
	5 (Sup.)	316, 318, 321, 324, 327, 338, 339, 340, 341, 342, 343, 344, 349, 351, 354, 358, 360, 362, 365, 370, 371, 372, 374, 382, 383, 385, 386, 387, 388, 390, 393, 395
	6	401, 402, 404, 406
	7	496
<i>Camponotus abdominalis floridanus</i> Buckl. ---	6	481
<i>Camponotus caryae decipiens</i> Whlr. -----	4	219
<i>Camponotus caryae rasilis</i> Whlr. -----	3	123
<i>Camponotus herculeanus pennsylvanicus</i> (Deg.)	1	34
	2	61
	3	123
	4	219
	6	480
<i>Camponotus</i> spp. -----	4	219
<i>Camponotus vafer</i> Whlr. -----	6	481
<i>Campylacantha olivacea</i> (Scudd.) -----	5 (Sup.)	314, 315, 330, 354, 367
<i>Campylacantha olivacea vivax</i> Scudd. -----	5 (Sup.)	380
<i>Capitophorus fragaefolii</i> (Okl.) -----	3	103
<i>Capitophorus ribis</i> (L.) -----	3	94
	4	177
	5	252
	9	640
<i>Carcelia ochracea</i> V.d.W. -----	9 (Sup.)	792

	No.	Page
Cardiochiles nigriceps Vier. -----	4	192-193
Carpocapsa pomonella (L) -----	1	16
	2	37, 43-44
	3	67, 84-85
	4	139-140, 165-167
	5	226, 246-247
	6	398, 423-425
	7	490, 492, 511-512
	8	563, 576-577
	9	627, 637
	10	802-803
Carpophilus dimidiatus (F.) -----	2	64
Carpophilus hemipterus (L.) -----	6	484
Carpophilus niger Say -----	6	420
Carpophilus pallipennis Say -----	6	475
Carpophilus, spp. -----	6	420
Cartodere argus Reitt. -----	7	560
Cartodere elegans Aube -----	3	124
Cassidinae -----	5	266
	8	594
Cathartus advena (Waltl.) -----	1	35
	3	125
	4	220
Cathartus quadricollis Guer. -----	1	35
Cecidomyia catalpae Comst. -----	6	456
Cecidomyia ocellaris O.S. -----	4	205
Celama sorghiella (Riley) -----	7	510
	8	574
	9	625, 635
Centeter cinerea Ald. -----	3 (Sup.)	127, 130, 138
Cephenomyia sp. -----	6	480
Cephus cinctus Mort. -----	5	225
	7	491-492, 504
	9	626-627
Cephus pygmaeus (L.) -----	10	801
Ceramica picta (Harr.) -----	5	245
	7	527
Ceratomegilla fuscilabris Muls. -----	1	21
Ceratomia catalpae (Bdv.) -----	5	274
	6	456
	7	543
	8	603
Ceresa bubalus (F.) -----	3	84
Ceroplastes cirripediformis Comst. -----	1	26, 27
Ceroplastes floridensis Comst. -----	6	432
Ceropsylla sideroxyli Riley -----	6	432
Cerotoma trifurcata (Forst.) -----	3	100
	4	186
	5	224, 262
	6	440
	9	644
Ceuthophilus sp. -----	1	35
Ceutorhynchus assimilis (Payk.) -----	3	101

	<u>No.</u>	<u>Page</u>
Chaetocnema confinis Crotch -----	3	102
	4	191
Chaetocnema denticulata (Ill.) -----	4	161
Chaetocnema pulicaria Melsh. -----	3	79
	4	161
Chaitophorus populella G. & P. -----	6	466
Chaitophorus viminalis Monell -----	6	470
	7	549
Chalcodermus aeneus Boh. -----	3	82
	4	164
	5	245
	6	422
	7	510
Chalcodermus collaris Horn -----	7	510
Chalepus dorsalis Thunb. -----	3	90
	5	277
	6	400, 460-461
	7	491, 545
	8	604
Chaoborus astictopus D. & K. -----	3	117-118
	7	556
Chaoborus sp. -----	2	58
	8 (Sup.)	621-624
	9 (Sup.)	789, 792, 794
Chelymorpha cassidea (F.) -----	5	266
	6	446
	7	530
Chermes strobilobius Kltb. -----	5	277
Chermes tsugae Annand -----	6	455
Chilo plejadellus Zinck. -----	9	636
Chilo simplex (Butl.) -----	8	575
Chionaspis americana Johns. -----	2	52
	3	108
	7	544
	9	655
Chionaspis citri Comst. -----	1	18
Chionaspis euonymi Comst. -----	1	28
	2	56-57
	3	114
	4	212
	5	285
	6	472
	7	551-552
	8	610
	9	660
Chionaspis furfura (Fitch) -----	2	43
	3	89
	8	578
	9	659
Chionaspis pinifoliae (Fitch) -----	2	54
	3	111
	4	208
	5	280
	6	466
	8	607

	<u>No.</u>	<u>Page</u>
Chionaspis pinifoliae (Fitch) (Contd.) ---	9	657
Chionaspis salicis-nigrae Walsh -----	6	470
Chionaspis sylvatica Sand. -----	3	111
Chirida guttata (Oliv.) -----	5	266
	6	446
Chloealtis conspersa Harr. -----	5 (Sup.)	346, 362
Chlorochroa ligata (Say) -----	8	600
	9	652
Chlorochroa sayi Stal -----	1	11-12
	2	39
	4	156
	5	225, 238
	6	415
	7	492
	9	627
Chlorochroa uhleri Stal -----	6	415
	7	508
	9	634
Chorizagrotis auxiliaris (Grote) -----	1	11
	2	38
	3	67, 74-75
	4	139, 152-153
	5	223, 237
	6	413
Chorizagrotis auxiliaris agrestis Grote ---	2	38
	3	73
Chortippus longicornis (Latr.) -----	5 (Sup;)	318, 321, 324, 327, 330, 333, 339, 343, 344, 349, 358, 362, 371, 372, 374, 383, 387, 388, 390, 391, 393
Chortophaga viridifasciata (Deg.) -----	5 (Sup.)	314, 315, 330, 331, 333, 346, 347, 362, 367, 369
Chrysobothris femorata (Oliv.) -----	9	636
Chrysobothris mali Horn -----	7	550
Chrysobothris sp. -----	3	114
Chrysochus auratus F. -----	5	266
Chrysomela lapponica (L.) -----	3	112
	4	209
	5	282
	6	466
Chrysomela scripta F. -----	4	209
	6	466
Chrysomphalus aonidum (L.) -----	1	18, 27
	2	47
	5	254
	6	398, 432
	7	519
	8	564, 583
Chrysomphalus dictyospermi (Morg.) -----	1	18
Chrysomphalus obscurus (Comst.) -----	1	18
	3	95
	4	205
	8	604
	9	640
Chrysops discalis Will. -----	5	291



	No.	Page
Chrysops discalis Will. -----	6	479
	7	558
Chrysops flavida Wied. -----	5	291
Chrysops fulginosa Wied. -----	3	121
	5	291
Chrysops fulvastra O. S. -----	5	291
	6	479
	7	558
Chrysops vittatus Wied. -----	5	291
Cicadellidae -----	3	89
	4	164, 171
	6	475
	7	553
	8	578
Cimbex americana Leach -----	5	276
	6	470
Cimex lectularius L. -----	1	30
	2	57
	3	118
	4	215
	6	477-478
	7	555-556
	8	613
	9	662
Cimexopsis nyctalis List. -----	2	60
	7	561
Cinara juniperi Deg. -----	4	212
Cinara sp. -----	1	26
Cinara strobili Fitch -----	2	54
	3	110
	4	208
Cinara taedae Tissot -----	3	110
Cinara tujaefilina Del G. -----	1	27
	2	55-56
	3	113
Circotettix rabula R. & H. -----	5 (Sup.)	318, 321, 349, 362, 393
Circotettix rabula altior Rehn -----	5 (Sup.)	318, 321
Circotettix rabula nigrafasciatus Beamer ----	5 (Sup.)	374
Circotettix undulatus Rhen. -----	5 (Sup.)	349, 371
Circotettix verrucellatus Kby. -----	5 (Sup.)	339
Cirphis unipuncta (Haw.) -----	3	75
	4	139, 157
	5	241
	6	419
	7	503
	9	630-631
Clastoptera lawsoni Doer. -----	8	581
Clausenia purpurea Ishii -----	3	89
	7	514
Cnephasia longana (Haw.) -----	1	20
	2	39
	3	103
Cnidocampa flavescens (Wlk.) -----	8	605
Coccidae -----	1	10
Coccobaphes sanguinarius Uhl. -----	4	205



	No.	Page
Coccus hesperidum L. -----	1	27
	9	661
Coccus pseudomagniolarum (Kuw.) -----	4	140,180
	5	255
Cochliomyia americana C. & P.-----	1	10,31
	3	69,119-120
	4	215-216
	5	289,290
	6	478
	7	557
	8	564,614-615
	9	626,663
	10	814-815
Cochliomyia macellaria (F.) -----	3	120
	4	216
Cochliomyia spp. -----	7	557
Colaspis brunnea (F.) -----	5	244
	6	434
Colaspis spp. -----	6	420
	8	573
Coleophora caryaefoliella Clem. -----	5	253
Coleophora laricella (Hbn.) -----	2	53
	4	204
	5	276-277
	6	399,460
Coleophora limosipennella (Dup.) -----	5	275
Coleophora malivorella Riley -----	2	44
	3	87
	5	247
	6	425
Coleophora pruniella Clem. -----	3	93
Coleophora salmani Heinr. " -----	6	456
	7	542
Colias eurytheme Bdv. -----	1	14
	2	41
	4	163
	6	421-422
	7	490,509
	8	573
	9	634
Colias sp. -----	2	41
Collembola -----	4	192
Colopha ulmicola (Fitch) -----	5	275
	6	459
Compsus auricephalus Say-----	6	450
Conophthorus coniperda (Schwarz) -----	6	465
Conopia exitiosa (Say) -----	1	17
	2	45
	3	91-92
	4	175
	6	428
	7	516
	8	579
	9	638-639
Conopia opalescens (Hy. Edw.) -----	4	175

	No.	Page
<i>Conopia pyri</i> (Harr.) -----	4	170
	6	425
<i>Conopia scitula</i> (Harr.) -----	1	18
<i>Conopia</i> sp. -----	2	45
<i>Conopia tipuliformis</i> (L.) -----	5	252
<i>Conotrachelus juglandis</i> Clem. -----	5	253
<i>Conotrachelus nenuphar</i> (Hbst.) -----	1	17
	2	37, 45
	3	68, 90-91
	4	140, 173-174
	5	224, 250
	6	398, 427
	7	490-516
	8	563, 579-580
	9	639
	10	803
<i>Conozoa wallula</i> Scudd. -----	5 (Sup.)	327, 358, 360, 371, 372, 383
<i>Contarinia canadensis</i> Felt -----	4	201
<i>Contarinia pyrivora</i> (Riley) -----	3	93
<i>Contarinia sorghicola</i> (Coq.) -----	8	575
<i>Cordillacris crenulata</i> Brun. -----	5 (Sup.)	318, 321, 349, 354, 362, 374, 393
<i>Cordillacris occipitalis</i> Thos. -----	5 (Sup.)	318, 321, 354, 374, 393
<i>Cordillacris occipitalis cinerea</i> Brun. -----	5 (Sup.)	318, 321, 349, 374
<i>Corizus indentatus</i> Hambl. -----	3	77
<i>Corizus viridicatus</i> Uhl. -----	4	183
<i>Corythuca arcuata</i> (Say) -----	4	206
	7	553
<i>Corythuca ciliata</i> (Say) -----	3	112
	6	469
	8	607
<i>Corythuca cydoniae</i> Fitch -----	3	115
	5	286
	6	474
	8	611
<i>Corythuca gossypii</i> (F.) -----	7	552
<i>Corythuca mollicula</i> O. & D. -----	7	549
<i>Corythuca pallida ulmi</i> O. & D. -----	6	459
	7	544
	8	603
<i>Cossula magnifica</i> (Stkr.) -----	8	582
<i>Cotinis nitida</i> (L.) -----	3	77
	4	139, 155
	6	410
<i>Crambus sperryellus</i> Klots. -----	9	658-659
<i>Crambus</i> spp. -----	4	161
	5	243
	6	470
<i>Craponius inaequalis</i> (Say) -----	8	581
<i>Cratypedes neglectus</i> Thos. -----	5 (Sup.)	371, 387, 393
<i>Cremastus flavo-orbitalis</i> Cam. -----	9 (Sup.)	794
<i>Crematogaster ashmeadi</i> Mayr -----	7	559
<i>Crematogaster lineolata</i> (Say) -----	9	665
<i>Crioceris asparagi</i> (L.) -----	3	68, 102
	4	189-190
	5	226, 265
	6	445
	7	529
	8	592

	<u>No.</u>	<u>Page</u>
<i>Crioceris duodecimpunctata</i> (L.) -----	4	189-190
	6	445
	8	592
<i>Crymodes devastator</i> Brace -----	4	151
	5	237
	6	413
	7	503
<i>Cryptocephalus castaneus</i> Lec. -----	5	252
<i>Cryptococcus fagi</i> (Baer.) -----	6	455
<i>Cryptophagus</i> sp. -----	3	126
<i>Cryptotermes brevis</i> Wlk. -----	6	480
<i>Cryptotermes snyderi</i> Light -----	6	480
<i>Ctenocephalides canis</i> (Curt.) -----	2	57
<i>Ctenocephalides felis</i> (Bouche) -----	4	214
	6	477
	7	555
<i>Ctenocephalides</i> sp. -----	4	214-215
<i>Culex mississippiensis</i> Hoffm. -----	4	214
<i>Culex pilosus</i> D. & K. -----	7	554
<i>Culex salinarius</i> Coq. -----	7	554
<i>Culex</i> spp. -----	5	288
	8	612
<i>Culex tarsalis</i> Coq. -----	7	555
	8	613
<i>Culicinae</i> -----	3	117
	4	214
	5	288-289
	6	476
	7	554-555
	8	612-613
	9	662
<i>Culicoides canithorax</i> Hoffm. -----	3	118
<i>Culicoides melleus</i> (Coq.) -----	5	289
<i>Culicoides mississippiensis</i> Hoffm. -----	3	118
	5	289
<i>Culicoides</i> sp. -----	2	57
	3	118
	4	214
	5	289
<i>Curculio caryae</i> (Horn) -----	8	582-583
	9	640
<i>Curculionidae</i> -----	3	102-103
	4	179
<i>Cuterebra</i> sp. -----	7	556
<i>Cyclocephala borealis</i> Arrow -----	6	410
	9	628
<i>Cyclocephala immaculata</i> Oliv. -----	9	628
<i>Cyclocephala</i> sp. -----	9	628
<i>Cycloneda sanguinea</i> L. -----	1	21
<i>Cylas formicarius</i> (F.) -----	9	626, 648
<i>Cylindrocopturus eatoni</i> Buch. -----	10	813

	<u>No.</u>	<u>Page</u>
Cyllene caryae Gahan -----	4	203
Cyllene robiniae (Forst.) -----	3	109
	6	461
	8	604
	9	655
Cynaesus angustus (Lec.) -----	3	125
	4	220
Dactylotum pictum Thos. -----	5 (Sup.)	318, 321, 374
Dasyneura communis Felt -----	4	205
	6	462
Dasyneura gleditschiae O. S. -----	4	204
Dasyneura mali Kieff. -----	4	172
	5	249
Dasyneura rhodophaga (Coq.) -----	7	553
Datana integerrima G. & R. -----	5	253
	6	469
	7	549
	8	582
	9	640
Datana ministra (Drury) -----	8	601
Dendroctonus brevicornis Lec. -----	10	812
Dendroctonus frontalis Zimm. -----	9	656
	10	812
Dendroctonus jeffreyi Hopk. -----	10	812-813
Dendroctonus monticolae Hopk. -----	10	811
Dendroctonus piceaperda Hopk. -----	6	468
	9	658
Dendroctonus ponderosae Hopk. -----	10	812
Dendroctonus simplex Lec. -----	8	604
Dendroctonus spp. -----	9	656
	10	812
Dendroctonus terebrans (Oliv.) -----	4	207
	6	465
Dendroctonus valens Lec. -----	2	54
	4	207
Dendrothrips ornatus Jabl. -----	6	474
	8	611
Depressaria heracliiana Deg. -----	7	530
Dermacentor sp. -----	6	478
Dermacentor variabilis (Say) -----	1	31
	3	69, 118-119
	4	215
	5	289
	6	478
	7	556-557
	8	614
Dermanyssus gallinae (Deg.) -----	7	558
	9	664
Dermestes cadaverinus F. -----	2	63-64
	3	125
	7	560
Dermestes caninus Germ. -----	2	63
Dermestes lardarius L. -----	2	63, 64
	7	560



	No.	Page
<i>Dermestes vulpinus</i> F. -----	2	63
<i>Derotmema haydenii</i> Thos. -----	5 (Sup.)	318, 321, 336, 349, 354, 362 374, 393
<i>Desmia funeralis</i> (Hbn.) -----	3	94
	4	178
	6	430
	7	518
<i>Dexia ventralis</i> Ald. -----	8 (Sup.)	581 127, 131
<i>Diabrotica balteata</i> Lec. -----	1	19-20
	6	440
	7	521
	9	641
<i>Diabrotica duodecimpunctata</i> (F.) -----	1	19-20
	2	42, 48
	3	91, 97
	4	140, 181
	5	240-241
	6	420, 434
	7	508, 521
	8	570, 584-585
	9	641
<i>Diabrotica filicornis</i> Horn -----	8	572
<i>Diabrotica longicornis</i> (Say) -----	5	241
	6	419-420
	7	508
	8	572
<i>Diabrotica soror</i> Lec. -----	1	20
	3	77
	4	165
	5	256
	6	399, 440
	7	511
<i>Diabrotica</i> spp. -----	5	240-241
	6	440
<i>Diabrotica virgifera</i> Lec. -----	8	572
<i>Diabrotica vittata</i> (F.) -----	4	181
	5	226, 256
	6	444
	7	521
	8	585
	9	641
<i>Diacrisia virginica</i> (F.) -----	8	612
<i>Dialeurodes citri</i> (Ashm.) -----	3	96
	4	179
	5	254
	6	431
	7	519
	8	584, 608
<i>Dialeurodes citrifolii</i> (Morg.) -----	3	96
	4	179
<i>Diaphania nitidalis</i> (Stoll) -----	5	265
	6	444
<i>Diapheromera femorata</i> (Say) -----	7	542



	No.	Page
Diapheromera femorata (Say) (Cont'd.) -----	8	602
	9	654
Diarthronomyia chrysanthemi Ahlberg -----	3	114
	5	284
Diaspis carueli Targ. -----	1	29
	4	203
	6	474
Diatraea crambidoides (Grote) -----	5	242
	6	419
Diatraea grandiosella Dyar -----	7	507
	8	572
	9	625, 634
Diatraea saccharalis (F.) -----	1	15
	3	83
	6	422-423
	7	490, 511
	8	572
	9	632
	10	799-800
Dichomeris ligulella Hbn. -----	5	273
	6	462
	8	564, 602
Dichomeris marginellus (F.) -----	3	115
	4	141, 203
	7	552
	9	660
Dichromorpha viridis (Scudd.) -----	5 (Sup.)	330, 333, 346
Dicyphus minimus Uhl. -----	9	648
Dikraneura cockerellii Gill. -----	3	116
Dinoderus minutus F. -----	4	221
Dioryctria zimmermanni (Grote) -----	6	464
Diplopoda -----	2	61
	4	192
Diploaxis sp. -----	3	98
Diprion simile (Htg.) -----	5	280
	7	547
	8	606
Diptera -----	3	108
Disonycha triangularis (Say) -----	6	447
Disonycha xanthomelaena Dalm. -----	6	447
Dissosteira carolina (L.) -----	5	231
	5 (Sup.)	318, 321, 325, 327, 328, 330, 333, 339, 343, 349, 351, 354, 358, 362, 365, 371, 372, 374, 377, 383, 385, 387, 390, 393, 395
	7	498
Dissosteira longipennis (Thos.) -----	5 (Sup.)	296, 297, 305, 306, 307-310, 312, 317, 318, 321, 336, 337, 354, 367, 369, 380, 381, 393
	6	401
Dissosteira spurcata Sauss. -----	5 (Sup.)	371, 372, 383
Dolerus spp. -----	4	159
Dolichopus ramifer Loew -----	3	114
Drepanaphis acerifoliae (Thos.) -----	4	205

	No.	Page
Drepanopterna femoratum Scudd. -----	5 (Sup.)	318, 321, 324, 327, 349, 354 358, 362, 374, 383, 393, 395
Drepanosiphum platanoides Schr. -----	3	112
Drepanothrips reuteri Uzel -----	8	582
Dreyfusia piceae Ratz. -----	6	459
Dynastes tityus (L.) -----	7	520
Dysdercus suturellus (H.S.) -----	9	653
Eacles imperialis (Drury) -----	7	547
Eburia distincta Hald. -----	7	560
Eburia quadrigeminata (Say) -----	7	560
Ecdytolopha insiticiiana Zell. -----	9	655
Echidnophaga gallinacea (Westw.) -----	3	121
	5	292
Elasmopalpus lignosellus (Zell.) -----	4	160
	5	243, 262
	8	574
	9	642
Elateridae -----	1	11
	2	39
	3	76
	4	153-154
	5	225, 236
	9	625, 629
Ellopiia athasaria Wlk. -----	1	24
Ellopiia fiscellaria Guen. -----	7	544
	8	604
Ellopiia pellucidaria G. & R. -----	4	207
Empoasca abrupta De L. -----	8	588
Empoasca fabae (Harr.) -----	1	21
	4	185
	5	260
	6	399, 437
	7	490, 524
	8	588
	9	641, 644
Empoasca filamenta De L. -----	7	524
	8	588
Empoasca spp. -----	7	551
	8	588
Enchenopa binotata (Say) -----	8	608
Encoptolophus sordidus (Burm.) -----	5 (Sup.)	330, 333, 339, 362, 390
Encoptolophus sordidus costalis Scudd. -----	5 (Sup.)	318, 321, 343, 344, 349, 352, 354, 362, 367, 374, 393
Encoptolophus subgracilis texensis Burm. ----	5 (Sup.)	367
Entomoscelis adonidis (Pallas) -----	9	634
Eomenacanthus stramineus (Nitz.) -----	9	664
Ephestia cautella (Wlk.) -----	9	667
Ephestia kuehniella Zell. -----	5	294
Epicaerus imbricatus (Say) -----	3	98
	4	172
	5	265
Epicauta cinerea (Forst.) -----	5	257
	6	433

	No.	Page
<i>Epicauta ferruginea</i> (Say) -----	6	433
<i>Epicauta lemniscata</i> F. -----	5	257
	6	433
	7	520
	8	585
	9	642
<i>Epicauta maculata</i> (Say) -----	5	257
	6	433, 434
	7	521
<i>Epicauta marginata</i> (F.) -----	7	520
	8	585
	9	642
<i>Epicauta pardalis</i> Lec. -----	5	258
<i>Epicauta pennsylvanica</i> (Deg.) -----	5	257
	6	433, 434
	7	520, 521
<i>Epicauta</i> spp. -----	5	257
	6	433
<i>Epicauta vittata</i> (F.) -----	5	257
	6	433, 434
	7	521
<i>Epilachna borealis</i> (F.) -----	3	91
	5	265
<i>Epilachna varivestis</i> Muls. -----	3	68, 99
	4	140, 185-186
	5	261-262
	6	399, 439-440
	7	490, 525-526
	8	588-589
	9	644
<i>Epinotia nanana</i> Treit. -----	4	208
	6	468
	8	607
<i>Epitrimerus hystrix</i> Nal. -----	5	246
<i>Epitrix cucumeris</i> (Harr.) -----	4	184
	5	260
	6	399, 436
	7	523
	8	587
	10	808
<i>Epitrix fuscula</i> Crotch -----	4	182
<i>Epitrix parvula</i> (F.) -----	3	68, 104
	4	192
	5	267
	6	448
	7	523, 531
	8	595
	10	807-808
<i>Epitrix</i> spp. -----	6	436
<i>Epitrix subcrinita</i> (Lec.) -----	4	182
	6	436
	7	523
<i>Epochra canadensis</i> Loew -----	6	430
	7	517

	No.	Page
Eremiacris sp. -----	5 (Sup.)	358
Eriocampoides amygdalina Roh. -----	3	92
Eriococcus azalae Comst. -----	1	27
	2	56
	3	113
	4	211
	9	659
Eriophyes avellanae (Hal.) -----	1	18
	3	95
Eriophyes fraxiniflora Felt -----	7	542
	9	654
Eriophyes pyri Pgst. -----	3	93
	4	172
	8	580
	9	639
Eriosoma americanum (Riley) -----	5	275
	6	458
	9	637
Eriosoma lanigerum (Hausm.) -----	4	170,203
	6	426
	7	513
	8	578,610
	9	637,638
Eriosoma fileyi Thos. -----	5	275
Eriosoma spp. -----	5	275
Eritettix simplex tricarinatus Thos. -----	5 (Sup.)	362
Erynnis sp. -----	5	255
Erythroneura comes (Say) -----	3	94
	4	177
	5	253
	6	430
	7	493,517-518
	8	564,581
	9	640
Erythroneura comes ziczac Walsh -----	4	178
Erythroneura hartii (Gill.) -----	8	578
Erythroneura sp. -----	4	178
	6	430
Erythroneura volucris Beam -----	3	92
Estigmene acraea (Drury) -----	9	631
Estigmene sp. -----	2	39
Euborellia annulipes (Lucas) -----	1	11
Eudiagogus rosenschoeldi Fahr. -----	7	510
Euetheola rugiceps (Lec.) -----	3	83
	6	420
Eulia quadrifasciana Fern. -----	4	169
Eulophus viridulus Thoms. -----	9 (Sup.)	788,792,793
Euphoria inda (L.) -----	3	77
Eurychlopterella luridula Reut. -----	7	514
Eusimulium pecuarum (Riley) -----	2	59
Eutettix tenellus (Bak.) -----	6	447
	7	531
	10	804-805
Euthochtha galeator F. -----	7	522



	No.	Page
<i>Eutrombicula alfreddugesi</i> (Oud.) -----	5	289
	6	478
	8	614
<i>Euxoa messoria</i> (Harr.) -----	8	568
<i>Euzophera ostricorella</i> Hulst -----	8	607
<i>Evergestis rimosalis</i> (Guen.) -----	8	590
<i>Exartema ferriferanum</i> Wlk. -----	5	285
<i>Feltia annexa</i> (Treit.) -----	1	11
	3	73
<i>Feltia gladiaria</i> Morr. -----	1	11
<i>Fenusa pusilla</i> (Lap.) -----	6	456
<i>Fenusa ulmi</i> Sund. -----	5	276
	6	458
<i>Fidia viticida</i> Walsh -----	5	253
<i>Fiorinia japonica</i> Kuw. -----	7	545
<i>Fiorinia theae</i> Green -----	1	27
	2	56
	3	114
	7	551
<i>Forficula auricularia</i> L. -----	1	10,11
	6	397,409
	7	499
<i>Formica munda</i> Whlr. -----	6	481
<i>Formica truncicola integra</i> Nyl. -----	6	480
<i>Formicidae</i> -----	1	12,34
	2	60-61
	3	123
	4	218-219
	5	292
	6	480
	8	616-617
<i>Frankliniella cephalica</i> (Crawf.) -----	1	16
<i>Frankliniella cephalica bispinosa</i> Morg. -----	3	96
<i>Frankliniella fusca</i> (Hinds) -----	4	193,197
	5	267
	6	399,448
<i>Frankliniella moultoni</i> Hood -----	1	16
	5	245
	6	441
<i>Frankliniella occidentalis</i> (Perg.) -----	5	245,251
<i>Frankliniella</i> spp. -----	2	43
	4	197
<i>Frankliniella tritici</i> (Fitch) -----	4	213
<i>Galerucella xanthomelaena</i> (Schr.) -----	1	25
	2	52
	3	69,108
	4	141,201-202
	5	224,274
	6	399,457-458
	7	491,543
	8	603
<i>Gargaphia solani</i> Heid. -----	9	647



	No.	Page
Gargaphia tiliae Walsh -----	6	460
Gasterophilus haemorrhoidalis (L.) -----	5	292
Gasterophilus intestinalis (Deg.) -----	5	292
Gasterophilus nasalis (L.) -----	5	292
Gasterophilus spp. -----	1	33
	7	558
	9	664
Gelechia cercerisella Chamb. -----	6	469
	7	548
Geometridae -----	1	23
	2	51
	3	106-107
	4	141, 197-199
	5	224, 271
Geshna cannalis Quaint. -----	4	211
Giardomyia rhododendri Felt. -----	4	212
Gibbium psylloides (Czemp.) -----	1	36
Gilpinia frutetorum (F.) -----	6	464
	8	606
	10	813
Gilpinia polytoma (Htg.) -----	5	281
	6	467
	7	548
	9	627, 657-658
Glischrochilus fasciatus Oliv. -----	7	501
Gnorimoschema gudmannella Wlsm. -----	6	447
Gnorimoschema operculella (Zell.) -----	3	68, 99
	6	448
	8	587
	9	626, 642-643, 648
	9 (Sup.)	683-705
Goes pulverulentus (Hald.) -----	6	483
Gossyparia spuria (Mbd.) -----	4	203
	5	275-276
	6	459
	7	544
	8	603
Gracilariidae -----	2	44
Gracilaria azaleella Brants -----	5	284
	9	659
Grapholitha molesta (Busck) -----	1	17
	3	92
	4	174-175
	5	227, 249-250
	6	398, 427-428
	7	490, 492, 514-515
	8	579
	9	627, 638
Graptolitha antennata (Wlk.) -----	4	169
	5	277
Gratiana pallidula Boh. -----	4	185
Gretchena bolliana (Sling.) -----	7	518
Gryllotalpa hexadactyla Perty -----	7	522

	No.	Page
Gryllus assimilis (F.) -----	4	150
	6	483
	7	559
	8	566
	9	626, 628
Gryllus domesticus L. -----	1	35
	2	62
	6	482
	8	617
Hadrobregmus carinatus (Say) -----	4	221
Hadrotettix trifasciatus Say -----	5 (Sup.)	318, 321, 333, 336, 349, 354, 362, 367, 374, 393
Haematobia irritans L. -----	3	120
	4	216
	5	290
	6	479
	7	557
	8	615
	9	663
Haematopinus eurysternus Nitz. -----	1	32-33
	3	121
Halisidota harrisii (Walsh) -----	6	469
Halticinae -----	1	20
	3	98
	4	141, 182
	5	226
	8	587
	9	627
Halticus citri (Ashm.) -----	6	435
	7	521-522
	8	564, 586
Hamadryas antiopa (L.) -----	5	275
Harmolita tritici (Fitch) -----	5	240
	6	416
	7	504
Harmolita vaginicola Doane -----	7	504
Helianula rufa Scudd. -----	5 (Sup.)	318, 321
Heliothis armigera (Hbn.) -----	1	29
	2	41
	3	79, 105
	4	140, 159-160, 185, 195
	5	223, 241-242, 261
	6	398, 417-418, 439, 450-451
	7	490, 506, 535-537
	8	563, 564, 570-571, 585-586, 593, 596-597
	9	633, 643
	10	810
Heliothis virescens (F.) -----	4	192-193
	6	448
Heliothis virescens subflexa Guen. -----	8	585
Hellula undalis (F.) -----	8	590
	9	646

	No.	Page
Hemerocampa definita Pack. -----	2	51
Hemerocampa leucostigma (A. & S.) -----	6	461
	8	601
Hemerocampa vetusta (Bdv.) -----	4	165
Hemicrepidius carbonatus Lec. -----	7	502
Hemileuca maia (Drury) -----	7	516
Hemileuca nevadensis Stretch -----	4	200
	5	282
Hemisarcoptes malus Shim. -----	4	180
Henoticus californicus Mann. -----	3	126
Henoticus sp. -----	2	65
Hercothrips fasciatus (Perg.) -----	6	440
	9	645
Herse cingulata (F.) -----	9	648
Hesperotettix sp. -----	5 (Sup.)	358, 383
Hesperotettix speciosus (Scudd.) -----	5 (Sup.)	318, 321, 324, 333, 336, 337 346, 347, 354, 367, 369, 374, 380
Hesperotettix viridis Thos. -----	5 (Sup.)	318, 321, 324, 327, 362
Hesperotettix viridis nevadensis Morse -----	5 (Sup.)	393
Hesperotettix viridis pratensis Scudd. -----	5 (Sup.)	318, 321, 330, 333, 339, 346 347, 349, 354, 362, 374, 393, 395
Heterocampa guttivitta (Wlk.) -----	6	454
	7	541
Hippelates pallipes Loew -----	7	558
Hippelates plebejus Loew -----	7	558
Hippelates pusio Mall. -----	7	558
Hippelates spp. -----	6	476
	8	614
Hippiscus corallipes Hald. -----	2	38
	4	147
Hippiscus rugosus (Scudd.) -----	5 (Sup.)	314, 315, 318, 321, 330, 333 334, 346, 347, 349, 354, 362, 367, 369, 374
Hippodamia convergens Guer. -----	5	263
Hippopsis lemniscata F. -----	6	470
Homalodisca triquetra F. -----	5	283
	9	639
Homeosoma electellum Hulst. -----	7	553
Hoplocampa testudinae Klug. -----	5	226-227
Horcias dislocatus Say -----	4	185
Horistonotus uhlerii Horn -----	5	236
	6	412
Hyalopterus arundinis (F.) -----	4	176
	6	429
Hylemya antiqua (Mg.) -----	6	446
	7	530
	9	647
Hylemya brassicae (Bouche) -----	3	101-102
	4	188-189
	5	226
	6	442
	7	527

	No.	Page
<i>Hylemya cilicrura</i> (Rond.) -----	1	20
	2	48
	3	98
	4	182
	5	224, 258
<i>Hylemya</i> sp. -----	1	26
	4	182
<i>Hylobius pales</i> (Hbst.) -----	2	54
	3	110
	4	208
	6	465
<i>Hylobius radialis</i> Buch. -----	3	110
	6	465
	9	657
<i>Hylurgopinus rufipes</i> (Eichh.) -----	4	202
	8	603
<i>Hymenia fascialis</i> (Cram.) -----	9	647
<i>Hypera humuli</i> (Harr.) -----	2	42
<i>Hypera brunneipennis</i> (Boh.) -----	1	14
	4	162-163
	10	799
<i>Hypera meles</i> (F.) -----	6	421, 440
<i>Hypera nigrirostris</i> (F.) -----	6	440
<i>Hypera postica</i> (Gyll.) -----	1	13-14
	2	41
	3	81
	4	161-162
	5	243-244
	6	398, 421
	8	573
<i>Hypera punctata</i> (F.) -----	3	67, 81-82
	4	162
	5	244
	6	421
<i>Hypera rumicis</i> L. -----	5	244
<i>Hypermallus villosus</i> (F.) -----	1	25
	4	179
<i>Hyphantria cunea</i> (Drury) -----	7	491, 540
	8	564, 600-601
	9	640, 653
<i>Hyphantria</i> spp. -- -----	5	273
	6	453
<i>Hypochlora alba</i> Dodge -----	5 (Sup.)	318, 321, 349, 354, 363, 374, 393
<i>Hypoderma bovis</i> (Deg.) -----	1	32
<i>Hypoderma lineatum</i> (De Vil.) -----	1	31-32
	2	58
	3	121
	8	615
	9	664
	10	816
<i>Hypoderma</i> spp. -----	1	31-32
	2	58-59
	4	216
	10	816



	No.	Page
<i>Hypsopygia costalis</i> (F.) -----	5	244
<i>Hysteroneura setariae</i> (Thos.) -----	3	92, 93
	9	639
<i>Icerya purchasi</i> Mask. -----	2	55
	3	112
	4	210
	5	284
	7	519, 551
	8	584
	9	659
<i>Ichneutes</i> sp. -----	6	467
<i>Inareolata punctoria</i> Roman -----	8 (Sup.)	621-624
	9 (Sup.)	788-791, 793, 794
<i>Ips avulsus</i> (Eichh.) -----	6	465
<i>Ips calligraphus</i> (Germ.) -----	6	465
	9	658
<i>Ips grandicollis</i> (Eichh.) -----	6	465
	9	658
<i>Iridomyrmex humilis</i> Mayr -----	1	34
	3	123
	4	219
	5	292
	6	481
	7	559
	8	617
	9	665
<i>Isoptera</i> -----	1	33-34
	2	60
	3	122-123
	4	217-218
	6	480
	7	558
	8	616
	9	664
<i>Itycorsia zappei</i> Roh. -----	5	280
	6	464
<i>Ixodes</i> spp. -----	1	33
<i>Ixodidae</i> -----	2	58
<i>Junonia coenia</i> Hbn. -----	6	475
<i>Keiferia lycopersicella</i> (Busck) -----	9	643
<i>Kermes pubescens</i> Bogue -----	2	53
	3	109
	4	206
	6	463
	7	546
<i>Labopidea allii</i> Knight -----	4	190
<i>Labrorychus prismaticus</i> Nort. -----	9 (Sup.)	792
<i>Lachesilla pedicularia</i> L. -----	9	668
<i>Lachnus</i> sp. -----	4	208
<i>Laemophloeus ferrugineus</i> Steph. -----	3	126

	No.	Page
<i>Laemophloeus minutus</i> (Oliv.) -----	1	35
	2	64
	3	126
	4	220
<i>Laemophloeus</i> sp. -----	1	35
<i>Lagoa crispata</i> Pack. -----	6	469
<i>Laphygma exigua</i> (Hbn.) -----	1	11
	4	141, 194-195
	5	223, 237
	6	413-414
	9	641
<i>Laphygma frugiperda</i> (A. & S.) -----	3	75
	4	153
	5	243
	6	413
	7	507
	8	563, 568-569
	9	625, 630-631
<i>Lasioderma serricorne</i> (F.) -----	2	64
	9	668
<i>Lasioptera querciperda</i> Felt -----	6	463
<i>Lasius interjectus</i> Mayr -----	1	34
	4	218
<i>Lasius niger americanus</i> Emery -----	6	481
<i>Laspeyresia caryana</i> (Fitch) -----	2	46
	6	431
	8	582
	9	640
<i>Laspeyresia interstinctana</i> Clem. -----	4	163
<i>Laspeyresia nigricana</i> (Steph.) -----	6	441
	7	492
<i>Latrodectus mactans</i> (F.) -----	2	58
	8	614
	9	663
<i>Lecaniodiaspis</i> sp. -----	2	56
	3	113, 115
<i>Lecanium corni</i> Bouche -----	3	95
	5	279
<i>Lecanium coryli</i> L. -----	3	108
<i>Lecanium fletcheri</i> Okll. -----	5	286
<i>Lecanium nigrofasciatum</i> Perg. -----	2	46, 52
	4	200
<i>Lecanium prunastri</i> (Fonsc.) -----	5	284
<i>Lecanium quercifex</i> Fitch -----	4	206
<i>Lecanium quercitroneis</i> Fitch -----	8	605
<i>Lecanium</i> sp. -----	3	93
	4	165
	7	546
<i>Leis dimidiata quinquedecimspilota</i> Hope -----	2	47
<i>Lema sexpunctata</i> (Oliv.) -----	7	550
<i>Lema trilineata</i> (Oliv.) -----	6	473
<i>Lepidocricus herricki</i> Pierce -----	3	102
<i>Lepidosaphes beckii</i> (Newm.) -----	1	18
	2	47

	No.	Page
Lepidosaphes beckii (Newm.) (Cont'd.) -----	5	224, 254
	6	432
	7	519
	8	583
Lepidosaphes camelliae Hoke -----	1	27
	2	56
	3	114
Lepidosaphes ficus (Sign.) -----	3	96
Lepidosaphes ulmi (L.) -----	2	52
	3	116
	4	210
	5	284
	6	426, 471
	7	551
	8	608
	9	659
Lepisma saccharina L. -----	8	617
Leprus cyaneus Ckll. -----	5 (Sup.)	319, 321
Leptinotarsa decemlineata (Say) -----	3	99
	4	140, 183-184
	5	224, 259-260
	6	435-436
	7	492, 522-523
	8	586-587
Leptoconops spp. -----	6	476
Leptocoris trivittatus (Say) -----	1	35
	2	61-62
	3	92
	8	618
	9	626, 665-666
Leptoglossus occidentalis Heid. -----	1	12
Leptoglossus phyllopus (L.) -----	5	287
	8	575, 588
Leucaspis japonica Ckll. -----	1	25
Ligyris gibbosus (Deg.) -----	4	191
	5	282
	6	412
Limonium agonus (Say) -----	4	153
	5	236
Limonium californicus (Mann.) -----	1	11
	3	76
	4	154
	5	236
	7	502
Limonium canus Lec. -----	2	39
	3	76
	4	154
Limothrips cerealium Hal. -----	7	561
Linognathus setosus (Olfers) -----	2	59
Linognathus vituli L. -----	1	33
	2	59
	3	121
Liponyssus bacoti (Hirst) -----	1	30
	2	58
	3	118
	7	556

	No.	Page
Liponyssus sylviarum C. & F. -----	6	480
Liposcelis divinatorius (Mull.) -----	8	617
	9	667
Listroderes obliquus Klug -----	1	10, 19
	2	47
	3	68, 97
	4	140, 181
	5	256
	10	807
Listronotus latiusculus (Boh.) -----	7	529
	8	593
Listronotus oregonensis (Lec.) -----	8	593
Lithocolletes blancardella F. -----	3	88
Lixophaga diatraea Towns. -----	10	800
Lixus concavus Say -----	4	190-191
Longistigma caryae Harr. -----	1	25
	2	46
	3	95
	4	178, 206
	8	583
	9	640
Lopidea davisii Knight -----	2	57
	5	286
Loxostege similalis (Guen.) -----	6	414
	8	569
Loxostege spp. -----	5	238
Loxostege sticticalis (L.) -----	4	153
	5	226
	6	398, 414
	7	492, 503
	8	569
	9	627
Lucilia sericata Mg. -----	9	667
Ludius aereipennis (Kby.) -----	5	236
	7	502
Luperodes spp. -----	6	420
	7	509
Lyctidae -----	9	666
Lyctus brunneus Steph. -----	2	61
Lyctus planicollis Lec. -----	1	36
	2	61
	3	124
Lyctus spp. -----	1	36
	2	61
Lydella stabulans grisescens R..D. -----	8 (Sup.)	621, 623-624
	9 (Sup.)	788-791, 793, 794
Lygaeonematus erichsonii (Htg.) -----	6	459-460
	10	813
Lygaeus lateralis Dall. -----	7	561
Lygus elisus Van D. -----	2	42
	3	81
	5	245
	6	422
	8	573



	<u>No.</u>	<u>Page</u>
Lygus elisus hesperus Knight -----	2	42
	3	81
	5	245
	6	422
	7	492-493
Lygus pratensis oblineatus (Say) -----	2	50
	3	92
	4	164
	5	227, 261, 286
	6	414-415
	7	492-493, 539
	9	642, 660
Lygus spp. -----	1	14
	5	245, 250
Lysiphlebus testaceipes (Cress.) -----	1	12
	4	196
Macrobasis immaculata (Say) -----	5	257
Macrobasis unicolor (Kby.) -----	5	257
	6	433
	7	521
Macrocentrus gifuensis Ashm. -----	8 (Sup.)	621-624
	9 (Sup.)	788, 789, 791, 794
Macroductylus subspinosus (F.) -----	4	156
	5	223, 234-235
	6	411
	8	568
Macronoctua onusta Grote -----	3	115
	5	285
	7	552
	9	660
Macrosiphoniella sanborni (Gill.) -----	1	28
	4	211
	5	284
Macrosiphum ambrosiae (Thes.) -----	6	473
	7	551
Macrosiphum granarium (Kby.) -----	4	159
	6	416
Macrosiphum pisi (Kltb.) -----	1	21
	2	42, 49
	3	67, 79-81
	4	140-141, 186-187
	5	224, 262-263
	6	441
	7	492, 509, 526
	8	573
	9	634, 645
Macrosiphum rosae (L.) -----	1	30
	3	116
	5	287
	6	475
Macrosiphum solanifolii (Ashm.) -----	1	21
	2	48

	No.	Page
Macrosiphum solanifolii (Ashm.) (cont.)-----	4	182, 213
	5	287
	6	436-437
	7	524
Macrosiphum spp. -----	6	473
Macrosiphum taraxaci Kltb. -----	3	112
Macrosteles divisus (Uhl.) -----	7	522
Magacicada septendecim (L.) -----	4	197
	5	271
	10	810
Malacosoma americana (F.) -----	1	15
	2	44
	3	68, 85-87
	4	140, 167-168
Malacosoma disstria Hbn. -----	3	107
	4	199-200
	5	224, 271-272
	6	454
Malacosoma pluvialis (Dyar) -----	5	272
Malacosoma spp. -----	2	52
	3	107
	4	200
Mansonia perturbans Wlk. -----	7	555
	8	613
	3	124
Marava wallacei Dornh. -----	1	26
Matsucoccus gallicolus Morr. -----	6	466
Matsucoccus sp. -----	7	503
Megachile sp. -----	4	178
Melanocallis caryaefoliae (Davis) -----	5	254
	7	518
	8	583
	9	640
Melanoplus alpinus Scudd. -----	5 (Sup.)	349, 393
Melanoplus angustipennis (Dodge) -----	5 (Sup.)	319, 321, 324, 325, 330, 336, 339, 343, 349, 351, 354, 356, 362, 375, 390, 391, 393
Melanoplus angustipennis impiger Scudd. -----	5 (Sup.)	367, 369, 380
Melanoplus arizonae Scudd. -----	5 (Sup.)	380
Melanoplus bispinosus Scudd. -----	5 (Sup.)	314, 315, 367
Melanoplus bivittatus (Say) -----	4	142, 144, 145, 146
	5	228-232
	5 (Sup.)	296
	6	397, 401-407
	7	489, 494, 495-497, 498
	8	566
	10	796
Melanoplus borealis Fieb. -----	5 (Sup.)	349
Melanoplus borealis monticola Scudd. -----	5 (Sup.)	319, 323, 383, 385, 394, 395
Melanoplus bowditchi Scudd. -----	5 (Sup.)	319, 323, 324, 336, 354, 375, 394
Melanoplus bowditchi canus Hebard -----	5 (Sup.)	349, 363, 375, 377
Melanoplus bruneri Scudd. -----	5 (Sup.)	319, 323, 350, 383, 385, 394

	No.	Page
Melanoplus cinerius Scudd. -----	5 (Sup.)	394, 395
Melanoplus complanatus canonicus Scudd. -----	5 (Sup.)	383
Melanoplus confusus Scudd. -----	5	230
	5 (Sup.)	343, 354, 363, 375, 383
	6	402
Melanoplus dawsoni Scudd. -----	5 (Sup.)	319, 323, 324, 327, 339, 343, 344, 350, 362, 363, 365, 375, 383, 390, 394, 395
Melanoplus devastator Scudd. -----	4	147
	5	230
	5 (Sup.)	357
	6	403
	7	498
Melanoplus differentialis (Thos.) -----	4	142, 144, 146
	5	228-231
	5 (Sup.)	296-394
	6	397, 401-403, 405-406
	7	494-496
	8	565, 566
	10	796
Melanoplus dodgei Thos. -----	5 (Sup.)	317, 319, 323, 324
Melanoplus fasciatus Walk. -----	5 (Sup.)	375
Melanoplus femur-rubrum (Deg.) -----	4	147
	5	230, 231
	5 (Sup.)	296-392, 395
	6	401, 403, 404, 406
	7	489, 495, 496, 497, 498
	8	566
Melanoplus flavidus Scudd. -----	5 (Sup.)	319, 323, 330, 339, 340 355, 356, 363, 367, 369, 375, 390
Melanoplus foedus fluviatilis Brun. -----	5 (Sup.)	319, 323, 355, 356, 375
Melanoplus foedus foedus Scudd. -----	5 (Sup.)	319, 323, 324, 325, 327, 328, 336, 337, 355, 356, 358, 367, 369, 371, 372, 375, 380, 381, 394, 395
Melanoplus foedus iselyi Hebard -----	5 (Sup.)	367
Melanoplus gladstoni Scudd. -----	5 (Sup.)	319, 323, 343, 344, 350, 351, 352, 355, 363, 365, 375, 377, 394
Melanoplus glaucipes Scudd. -----	5 (Sup.)	367, 369
Melanoplus infantilis Scudd. -----	5 (Sup.)	319, 323, 324, 327, 343, 350, 351, 355, 363, 365, 375, 392, 394, 395
Melanoplus keeleri luridus (Dodge) -----	5 (Sup.)	319, 323, 327, 330, 333, 339, 343, 363, 375, 383, 390, 391
Melanoplus kennicotti kennicotti Scudd. -----	5 (Sup.)	363
Melanoplus lakinus Scudd. -----	5 (Sup.)	319, 323, 324, 325, 336, 337, 350, 351, 355, 367, 375, 380, 381
Melanoplus mexicanus (Sauss.) -----	2	37, 38
	3	67, 70
	4	142-147
	5	228-232
	5 (Sup.)	295-395



	<u>No.</u>	<u>Page</u>
Melanoplus mexicanus (Sauss.)-----	6	397,401-407
	7	489,494-497
	8	563,565-566
	9	628
	10	796
Melanoplus mexicanus spretus (Walsh) -----	6	407
Melanoplus occidentalis (Thos.) -----	4	147
	5	230
	5 (Sup.)	310-312, 319,323,324, 350,355,357,363,375,380,394
	6	402,403
	7	497
Melanoplus oregonensis Thos. -----	5 (Sup.)	350
Melanoplus packardii Scudd. -----	4	142,144
	5	228,229,232
	5 (Sup.)	319-395
	6	397,402-405
	7	496,497
	8	566
Melanoplus ponderosus Scudd. -----	5 (Sup.)	368
Melanoplus regalis Dodge -----	5 (Sup.)	319,323,355,368,380
Melanoplus scudderi (Uhl) -----	5 (Sup.)	346,375
Melanoplus sp. -----	3	70,71
Meligethes aeneus F. -----	7	550
Melipotus acontioides Guen. -----	4	205
Melissopus latiferreanus (Wlsm.) -----	6	431
Melitara sp. -----	4	222
Melittia satyriniformis Hbn. -----	6	399,443-444
Meloidae. -----	5	224,257-258
	6	399,433-434
	7	520-521
Melophagus ovinus (L.) -----	2	59
	4	217
Mermiria maculipennis Rehn -----	5 (Sup.)	336,355,368,380,383 394,395
Mermiria maculipennis macclungi Rehn -----	5 (Sup.)	319,323,330,333,350, 355,363,375,377
Mermiria nemexicana(Thos.) -----	5 (Sup.)	336,355,368,375
Meromyza americana Fitch -----	6	416
Mesogramma politum Say -----	7	508
Mestobregma plattei Thos. -----	5 (Sup.)	319,323,350,394
Metallus rubi Forbes -----	4	177
Metator nevadensis Brun. -----	5 (Sup.)	358
Metator paradalinus Sauss. -----	5 (Sup.)	319,323,350,351,355, 363,375,394
Metriona bicolor (F.) -----	5	266
	6	446
Metriona bivittata (Say) -----	5	266
	6	446
Mexium americanum Cast. -----	2	62
Microplectron fuscipennis Zett.-----	10	813
Mindarus abietinus Koch -----	3	109
	4	203
	6	459



	No.	Page
Mineola indigenella (Zell.) -----	1	15
	2	46
	5	283
	8	611
	9	661
Minutus niger Gill. -----	6	463
Miris dolobratus (L.) -----	4	164
Monarthropalpus buxi Lab. -----	1	28
	2	56
	3	113-114
	4	211
	6	472
Monellia caryae Monell -----	8	583
Monellia costalis (Fitch) -----	4	178
	6	431
	7	518
Monellia nigropunctata Granovsky -----	4	178
Monoblastus sp. -----	6	467
Monocesta coryli (Say) -----	5	274
	7	543
	8	603
	9	654
Monochamus scutellatus (Say) -----	5	279
Monochamus sp. -----	6	465
Monocrepidius bellus Say -----	6	412
Monomorium minimum (Buckl.) -----	5	292
	6	481
Monomorium pharaonis (L.) -----	1	34
	2	60, 61
	3	123
	5	292
	7	559
	8	61 7
	9	665
Mordwilkoja vagabunda (Walsh) -----	7	547
Murgantia histrionica (Hahn) -----	1	22
	3	101
	5	264
	6	442
	7	527
	8	591
	9	646
Myzocallis fumipennellus Fitch -----	4	179
Myzocallis kahawaluokalani Kirk. -----	5	285
	7	551
	8	610
	9	646
Myzocallis tiliae (L.) -----	2	53
Myzocallis ulmifolii Monell -----	7	544
Myzus cerasi (F.) -----	2	46
	3	93
	4	176
	5	251
	6	428-429
	9	639
Myzus convolvuli Kltb. -----	6	437

	No.	Page
Myzus persicae (Sulz.) -----	2	45,48,49
	3	92,102
	6	437
	7	492,524,530
Myzus porosus Sand. -----	3	116
Nacerda melanura (L.) -----	3	124
	6	483
Necrobia rufipes (Deg.) -----	5	294
Neleucania albilinea (Hbn.) -----	6	416
	7	504
	9	627
Nemapogon granelia (L.) -----	4	221
Neoclytus caprea Say -----	2	52
Neoclytus conjunctus Lec. -----	3	124
Neodiprion abietis (Harr.) -----	7	544
Neodiprion americanum (Leach) -----	3	110
	5	280
	9	657
Neodiprion dyari Roh. -----	5	279
Neodiprion lecontei (Fitch) -----	3	110
	6	464
	7	547
	8	606
	9	657
Neodiprion pinetum (Nort.) -----	8	606
Neodiprion sertifer (Geoff.) -----	3	111
	4	207
Neodiprion sp. -----	5	279
Neolecanium cornuparvum (Thro) -----	6	474
	7	553
Neomyzaphis abietana Wlk. <u>See</u> Aphis abietana.		
Neopodismopsis abdominalis Thos. -----	5 (Sup.)	363
Nephelodes emmedonia (Cram.) -----	8	568
Nephelodes emmedonia violans Hbn. -----	4	139,150
Nepytia canosaria Wlk. -----	7	545
Neurocolpus nubilis Say -----	6	441
Neuroterus laurifoliae Ashm. -----	9	656
Neuroterus minutus Bass. -----	6	463
	9	656
Neuroterus niger Gill. -----	6	463
Nezara viridula (L.) -----	5	258
	6	435
	8	586
	9	642
Nodonota puncticollis (Say) -----	4	172
Norape cretata Grote -----	7	548
Notolephus antiqua (L.) -----	1	24
Nygmia phaeorrhoea (Donov.) -----	4	200
	5	272-273
	6	453
	7	491,541
	10	814

	<u>No.</u>	<u>Page</u>
Nysius ericae (Schill.) -----	4	183
	5	258
	6	434
	7	489, 503
	8	586
Nysius sp. -----	3	81
Oberea bimaculata (Oliv.) -----	5	251
	6	429
	8	580
Oberea tripunctata (Swed.) -----	1	17
Odontothrips loti Hal. -----	6	441
Oecanthus nigricornis Wlk. -----	8	581
Oedaleonotus enigma (Scudd.) -----	4	147, 148
	5 (Sup.)	327, 358, 360, 371, 383
	6	403, 404
Oestris ovis L. -----	4	216
Oiketicus toumeyi Jones -----	3	109
Oncideres cingulatus (Say) -----	7	518
	8	582
	9	659
Oncometopia costalis F. -----	1	20
Oncocnemis punctilinea Hampson -----	4	151
Oniscidae -----	3	98
	5	259
Opeia obscura Thos. -----	5 (Sup.)	319, 323, 336, 350, 352, 355, 356, 363, 368, 375, 380, 383, 385, 394
Ormenis pruinosa (Say) -----	5	282
Ornithodoros talaje Guer. -----	1	31
Ornix geminatella Pack. -----	4	170
	8	577
Orphulella pelidna (Burm.) -----	5 (Sup.)	319, 323, 324, 343, 355, 356, 363, 375, 390, 394
Orphulella pelidna desereta Scudd. -----	5 (Sup.)	383
Orphulella speciosa (Scudd.) -----	5 (Sup.)	314, 315, 319, 323, 330, 331, 333, 339, 343, 350, 363, 368, 375, 377, 390
Orthaea longulus Dall. -----	1	20
Orthaea vineta Say -----	3	103
Oryzaephilus surinamensis (L.) -----	1	35
	2	65
	3	126
	4	220
	8	619
	9	667, 668
Pachypsylla celtidis-mamma Riley -----	5	276
Pachypsylla celtidis vesiculum Crawf. -----	9	655
Pachypsylla venusta O. S. -----	5	276
Pachystethus lucicola F. -----	6	411, 412
Pachystethus marginatus F. -----	6	450
Pagasa fusca Stein -----	9	633

	No.	Page
Paleacrita vernata (Peck) -----	2	51
	3	69, 106-107
	4	198, 199
	5	271
Palmodes sp. -----	7	498
Pandemis limitata Rob. -----	4	169
Pantomorus godmani (Crotch) -----	2	37, 42
	5	286
	8	608
Pantomorus leucoloma (Boh.) -----	4	139, 156
	5	223, 236
	7	489, 501
Pantomorus spp. -----	10	798-799
Papaipema nebris nitela (Guen.) -----	4	212
	5	283
	6	419, 471
	7	507
	8	572
	9	658
Papilio polyxenes F. -----	4	190
	7	529
Paragrotis scandens Riley -----	4	151
Parallelodiplosis florida Felt -----	4	206
	6	463
Parandra brunnea F. -----	7	548
Paratetranychus citri McG. -----	1	18
Paratetranychus pilosus (C. & F.) -----	1	17
	2	45
	3	68, 90
	4	140, 172
	5	223, 249
	6	398, 426-427
	7	514
	8	578
	9	638
Paratetranychus ununguis Jacobi -----	7	548
Paratrechina longicornis (Latr.) -----	4	218
	6	481
	8	617
Paratrioza cockerelli (Sulc) -----	3	99
	4	185
	5	224, 260
	6	438
	7	524
	8	588
	9	644
	10	806-807
Pardalophora haldemanii (Scudd.) -----	5 (Sup.)	319, 323, 336, 355, 363, 375, 394
Pardalophora phoenicoptera (Burm.) -----	5 (Sup.)	330
Pardalophora saussueri Scudd. -----	5 (Sup.)	368, 369
Parharmonia pini Kellicot -----	6	464
Parlatoria camelliae Comst. -----	1	27
Parlatoria chinensis Marlatt -----	4	210



	No.	Page
	3	116
Parlatoria oleae (Colv.) -----	4	180
Parlatoria theae Ckll. -----	2	55
	3	112
Paropomala wyomingensis Thos. -----	5 (Sup.)	319, 323, 355, 394
Parthenothrips dracaenae Heeger -----	4	212
Paurocephala ilecis (Ashm.) -----	1	29
Pectinophora gossypiella (Saund.) -----	1	23
	2	50
	3	105
	4	195
	8	599
	9	652
Pediculoides ventricosus Newp. -----	1	17
Pegomya hyoscyami (Panz.) -----	4	191
	5	266
	7	531
Pelidnota punctata L. -----	6	431
Pemphigus betae Doane -----	7	547
Pemphigus lactucae Fitch -----	1	22
Pemphigus populicaulis Fitch -----	7	547
Pemphigus populiglobuli Fitch -----	7	547
Pemphigus populitransversus Riley -----	6	467
	7	547
Peranabrus scabricollis (Thos.) -----	3	72
	4	150
Peridroma margaritosa (Haw.) -----	2	38
	3	73
	4	151
	5	237
	6	397, 413
	7	502
	8	568
	9	630
Perillus bioculatus F. -----	7	523
Periphyllus lyropictus (Kess.) -----	6	461
	9	655
Periphyllus negundinis (Thos.) -----	4	201
	5	274
Periplaneta americana (L.) -----	2	62
Periplaneta australasiae (F.) -----	8	618
Periplaneta brunnea Burm. -----	1	34
Peritelinus oregonus Van Dyke -----	3	93
Petrova comstockiana (Fern.) -----	2	54
Phacogones nigridens Weem. -----	9 (Sup.)	794
Phalaenidae -----	1	10
	2	38
	3	72-73
	4	150-151
	6	412-413
	9	629-630
Phenococcus acericola King -----	4	204
	9	655
Phenococcus aceris Sign. -----	6	423
Phenococcus cevalliae Ckll. -----	7	539

	No.	Page
<i>Philaenus leucophthalmus</i> (L.) -----	2	49
	3	103
	4	156
	5	267
<i>Philaenus</i> spp. -----	5	267
<i>Phlebotomus</i> sp. -----	5	289
	9	662
<i>Phlibostroma quadrimaculatum</i> Thos. -----	5 (Sup.)	319, 323, 350, 351, 355, 356, 363, 365, 368, 375, 377, 380, 394, 395
<i>Phloeosinus cristatus</i> (Lec.) -----	1	25
<i>Phloeosinus dentatus</i> (Say) -----	4	203
<i>Phlyctaenia rubigalis</i> (Guen.) -----	1	26
	2	55
	3	101
	5	284
	8	593
<i>Phobetron pithecium</i> (A. & S.) -----	7	513
<i>Phoenicococcus marlatti</i> O'kell. -----	3	96
	9	641
<i>Phoetaliotes nebrascensis</i> (Thos.) -----	5 (Sup.)	319, 322, 327, 328, 330, 333, 336, 343, 350, 355, 358, 363, 371, 372, 375, 377, 384, 394, 395
<i>Phormia regina</i> (Mg.) -----	1	32
	2	59
	3	122
<i>Phormia</i> spp. -----	3	121-122
	4	216-217
<i>Phorodon humuli</i> (Schr.) -----	4	176, 192
	6	445
	8	594
<i>Phyllaphis fagi</i> (L.) -----	5	274
	9	654
<i>Phyllocoptes aceris-crumena</i> Riley -----	6	462
<i>Phyllocoptes destructor</i> Keif. -----	8	564, 588
<i>Phyllocoptes olivivorus</i> Ashm. -----	1	19
	4	140, 180
	6	398, 432
	7	520
	8	584
<i>Phyllocoptes quadripes</i> Shim. -----	4	204
	5	278
	6	462
<i>Phyllophaga anxia</i> Lec. -----	5	225
<i>Phyllophaga arkansana</i> Schffr. -----	3	76
<i>Phyllophaga calceata</i> Lec. -----	2	39
<i>Phyllophaga crassissima</i> Blanch. -----	4	155
	5	236
<i>Phyllophaga ephilida</i> Say -----	7	500
<i>Phyllophaga fusca</i> (Froel.) -----	3	77
	5	225
	8	567
<i>Phyllophaga futilis</i> Lec. -----	4	154
	5	225

	<u>No.</u>	<u>Page</u>
Phyllophaga hirticula (Knoch) -----	4	154,155
	7	500
	8	567
Phyllophaga implicita Horn -----	4	154,155
Phyllophaga micans Knoch -----	3	76
Phyllophaga lanceolata Say -----	6	410
Phyllophaga profunda Blanch. -----	9	628
Phyllophaga prunina Lec. -----	3	76
Phyllophaga rubiginosa Lec. -----	2	39
Phyllophaga rugosa (Melsh.) -----	3	77
	9	628
Phyllophaga spp. -----	2	39
	3	67,76-77
	3 (Sup.)	131
	4	154-155
	5	235-236
	6	397,409-410
	7	489,500
	8	563,567
	9	625,627,628
Phyllophaga tristis (F.) -----	3	76,77
	4	154
Phyllotoma nemorata Fall. -----	6	456
	8	603
	9	654
Phyllotreta sp. -----	3	98
Phyllotreta vittata (F.) -----	1	20
	7	528
Phyllotreta vittata descedens Weise -----	1	20
	4	182
Phylloxera caryaecaulis Fitch -----	5	276
Phylloxera caryaeseptum Shim. -----	6	459
Phylloxera devastatrix Perg. -----	5	254
	8	583
Phylloxera vitifoliae (Fitch) -----	6	431
Phymatodes variabilis L. -----	2	61
Phyrdenus bullatus Csy. -----	9	644
Physokermes piceae Schr. -----	4	209
	6	468
	8	607
Phytomyza ilicis (Curt.) -----	3	115
	6	473
Phytomyza minuscula Gour. -----	5	284
Phytophaga destructor (Say) -----	1	13
	4	157-158
	5	223,238-239
	6	398,415-416
	6 (Sup.)	485-437
	7	490,504
	8	569-570
	9	631
	10	798
Pieris protodice (B.& L.) -----	8	590
	9	645



	No.	Page
<i>Pieris rapae</i> (L.) -----	1	22
	3	100-101
	4	188
	5	263-264
	6	441-442
	7	492, 526
	8	590
	9	627, 645
<i>Pikonema alaskensis</i> (Roh.) -----	6	467
	8	607
	9	658
<i>Pilocrosis tripunctata</i> (F.) -----	5	648
	5	281
<i>Pineus pinifoliae</i> (Fitch) -----	6	465
<i>Pineus similis</i> Gill. -----	6	468
<i>Pineus strobil</i> (Htg.) -----	4	208
	5	280
<i>Pinipestis zimmermanni</i> Grote -----	8	606
<i>Pinnaspis aspidistrae</i> (Sign.) -----	1	28
	5	285
	9	659
<i>Pissodes approximatus</i> Hopk. -----	7	547
	8	606
<i>Pissodes nemorensis</i> Germ. -----	1	29
	2	54
<i>Pissodes strobil</i> (Peck) -----	3	69, 110
	5	279
	6	465
	9	656
<i>Pityophthorus ramiperdi</i> Swaine -----	9	657
<i>Plagiodera versicolora</i> (Laich.) -----	4	209
	5	282
	6	470
<i>Plathypena scabra</i> (F.) -----	1	10, 14-15
<i>Platynota stultana</i> Wism. -----	2	55
<i>Platypus compositus</i> Say -----	1	24
<i>Platypus flavicornis</i> F. -----	1	24
<i>Plectrodera scalator</i> (F.) -----	6	466
<i>Pleurophorus caesus</i> Creutz -----	8	585
<i>Plodia interpunctella</i> (Hbn.) -----	2	65
	4	219, 220
	5	294
	9	668
<i>Plutella maculipennis</i> (Curt.) -----	1	22
	4	188
	7	527
	9	646
<i>Podosesia syringae</i> (Harr.) -----	5	286
	8	611
<i>Poecilocapsus lineatus</i> (F.) -----	5	283
<i>Pogonomyrmex badius</i> (Latr.) -----	4	219
<i>Pogonomyrmex barbatus</i> (F. Smith) -----	1	12
<i>Pogonomyrmex californicus</i> (Buckl.) -----	6	481
<i>Pogonomyrmex occidentalis</i> (Cress.) -----	4	219



	No.	Page
Polychrosis viteana (Clem.) -----	5	253
	6	430
	7	490, 518
	8	581
Polygonia interrogationis F. -----	2	43
Polyphylla occidentalis L. -----	6	465
Pomphoea sayi (Lec.) -----	3	91
	5	257
	6	412
Popillia japonica Newm. -----	3	77
	3. (Sup.)	127-138
	4	155
	5	223, 235
	6	397, 410-411
	7	489, 500-501
	8	567-568
	9	629
	10	795, 801-802
Porthetria dispar (L.) -----	2	51
	3	107
	5	224, 272
	6	454
	7	540
	9	653
	10	813-814
Prateoteras aesculana Riley -----	4	205
Prenolepis imparis (Say) -----	1	34
Prionoxystus robiniae (Peck) -----	1	24
	2	52
	9	654
Prionus californicus Mots. -----	3	107
Priophorus acericaulis Mac G. -----	5	278
	6	461
Priophorus rubivorus Roh. -----	6	429
Pristiphora geniculata (Htg.) -----	6	462
	7	546
Prociphilus fraxinifolii (Riley) -----	4	200-201
	5	273
	7	542
	8	602
Prociphilus imbricator (Fitch) -----	1	24
	7	542
	8	602
Prociphilus tessellatus (Fitch) -----	5	278
	6	455
Prodenia eridania (Cram.) -----	7	502
Prodenia sp. -----	4	151
Prodenia ornithogalli Guen. -----	4	151
	6	412
	7	502
	8	568
	9	630
Profemusa canadensis (Marlatt) -----	4	176
	5	251

	No.	Page
<i>Proleucoptera albella</i> Chamb. -----	6	466
<i>Prosenia sibirita</i> F. -----	3 (Sup.)	127, 131
<i>Proteides clarus</i> (Cram.) -----	6	470
<i>Protoparce quinquemaculata</i> (Haw.) -----	7	523, 531
	8	595
<i>Protoparce sexta</i> (Johan.) -----	7	523, 531
	8	594, 595
	9	644
<i>Protoparce</i> spp. -----	5	261
	6	399, 438
<i>Protopulvinaria pyriformis</i> (Ckll.) -----	1	19
<i>Psallus seriatus</i> (Reut.) -----	2	50
	3	105
	4	195-196
	5	224, 269
	6	452-453
	7	537
	9	652
<i>Pseudaonidia paeoniae</i> (Ckll.) -----	1	27
<i>Pseudococcinae</i> -----	6	432
<i>Pseudococcus comstocki</i> (Kuw.) -----	3	68, 89
	4	171
	5	223, 248-249
	7	513-514
	8	578
	9	625-638
<i>Pseudococcus cuspidata</i> Rau -----	5	288
	9	661
<i>Pseudococcus maritimus</i> (Ehrh.) -----	6	457
	9	659
<i>Pseudococcus</i> spp. -----	3	106
<i>Pseudopomala brachyptera</i> (Scudd.) -----	5 (Sup.)	339, 350, 390
<i>Psidinia fenestralis</i> (Serv.) -----	5 (Sup.)	330
<i>Psila rosae</i> (F.) -----	1	22
	5	226
	6	445
	7	529
<i>Psocidae</i> -----	6	483
	7	561
<i>Psorospora columbiae</i> D. & K. -----	7	554
<i>Psorospora</i> spp. -----	7	554
<i>Psychoda pacifica</i> Kincaid -----	8	619
<i>Psylla buxi</i> (L.) -----	3	114
<i>Psylla pyricola</i> Foerst. -----	3	92
	4	175
	5	250
	6	428
	7	517
	8	580
	9	639
<i>Pteronidea ribesii</i> (Scop.) -----	3	94
	4	177
	5	252
<i>Pterophorus periscelidactylus</i> (Fitch) -----	4	178

	No.	Page
Ptinus brunneus Duft. -----	2	64
	3	125
	5	293
Ptinus fur L. -----	3	126
	4	221
Pulvinaria amygdali Ckll. -----	6	428
Pulvinaria psidii Mask. -----	8	584
Pulvinaria vitis (L.) -----	5	278
	6	462
	7	546
Pyralis farinalis (L.) -----	5	294
Pyrausta nubilalis (Hbn.) -----	2	40
	3	79
	4	160
	5	226, 242
	6	398, 418-419
	7	490, 492, 504-505
	8	563, 571-572
	8 (Sup.)	621-624
	9	625, 631-632
	9 (Sup. .)	669-682
	9 (Sup. .)	787-794
	10	797
Pyroderces rileyi Wlsm. -----	7	510
Recurvaria juniperella Kearf. -----	5	286
	6	473
Recurvaria piceaella Kearf. -----	6	471
Reduvius personatus (L.) -----	1	30
Reticulitermes flavipes (Koll.) -----	1	33
	2	60
	3	122
	4	217-218
	9	664
Reticulitermes hageni (Banks) -----	7	558
Reticulitermes hesperus Banks -----	2	60
Reticulitermes tibialis Banks -----	1	33
	3	123
	4	218
	8	616
	9	664
Rhabdophaga sp. -----	3	112
Rhabdopterus picipes (Oliv.) -----	5	248
Rhabdopterus sp. -----	6	420
Rhagoletis cingulata (Loew) -----	4	176
	5	251
	6	429
Rhagoletis completa Cress. -----	6	490
	8	583
Rhagoletis fausta (O. S.) -----	4	175, 176
	5	251
Rhagoletis pomonella (Walsh) -----	4	172
	5	248
	6	425-426
	7	513

	No.	Page
Rhagoletis pomonella (Walsh) (contd.) -----	8	577
	9	637
Rhipicephalus sanguineus (Latr.) -----	1	31
	6	478
	7	557
	8	614
	9	662
Rhizoglyphus hyacinthi Bdv. -----	5	285
Rhizopertha dominica (F.) -----	2	64, 65
Rhodites rosae (L.) -----	6	475
Rhodobaenus tredecimpunctata (Ill.) -----	6	472
	7	551
	8	609
	9	660
Rhopalosiphum berberidis Kltb. -----	4	211
Rhopalosiphum nymphaeae (L.) -----	6	475
	7	553
Rhopalosiphum prunifoliae (Fitch) -----	2	44
	3	88-89
	4	170
	6	416
Rhopalosiphum pseudobrassicae (Davis) -----	1	22
	7	530
Rhyacionia buoliana (Schiff.) -----	2	53
	4	206-207
	5	279
	6	464
	8	605
	9	626, 656
Rhyacionia frustrana (Comst.) -----	2	37, 53
	3	109
	5	279
	7	547
	8	605-606
	9	656
Rhyacionia rigidana (Fern.) -----	4	207
Rhynchaenus pallicornis (Say) -----	4	171-172
	5	248
	6	426
Rhynchites bicolor (F.) -----	4	177, 213
	5	287
	6	474-475
	7	553
Rhynchophorus cruentatus F. -----	8	611
Rodolia cardinalis (Muls.) -----	7	519
Saissetia hemispherica (Targ.) -----	1	28
	2	47
Saissetia oleae (Bern.) -----	5	254
	7	519
	8	583
	9	661
Samia cecropia (L.) -----	5	274
Saperda candida F. -----	8	575
Saperda tridentata Oliv. -----	3	108
	7	544



	No.	Page
<i>Saperda vestita</i> Say -----	7	545
<i>Scapteriscus</i> spp. -----	2	48
<i>Scatophila despecta</i> Hal. -----	3	113
<i>Scatophila</i> sp. -----	3	113
<i>Scelio calopteni</i> Riley -----	5 (Sup.)	312
<i>Schistocerca alutacea</i> (Harr.) -----	5 (Sup.)	330, 339, 390
<i>Schistocerca americana</i> (Drury) -----	5 (Sup.)	314, 315, 330, 333, 334, 346, 347, 368
<i>Schistocerca lineata</i> Scudd. -----	5 (Sup.)	320, 322, 336, 350, 355, 363, 368, 375, 380
<i>Schistocerca shoshone</i> (Thos.) -----	5 (Sup.)	358, 384
	6	401
	7	489
	8	566
<i>Schistocerca speciosa</i> -----	5 (Sup.)	333
<i>Schizura unicornis</i> (A. & S.) -----	9	639
<i>Sciara</i> sp. -----	3	112
<i>Scirtothrips citri</i> (Moult.) -----	5	255
<i>Scolytus multistriatus</i> (Marsham) -----	2	52-53
	4	202
	10	811
<i>Scolytus rugulosus</i> (Ratz.) -----	1	16
	2	42
	3	91
	6	423
	7	516-517
	8	575
	9	636
<i>Scolytus sulcatus</i> Lec. -----	4	200
<i>Scutigera forceps</i> Raf. -----	9	667
<i>Scutigerella immaculata</i> (Newp.) -----	2	48
	4	183
	5	259
	6	435
	7	522
<i>Scythropus ferrugineus</i> Casey -----	2	54
<i>Sericothrips moultoni</i> Jones -----	6	441
<i>Sericothrips variabilis</i> Beach -----	4	197
<i>Sidemia devastator</i> (Brace) See <i>Crymodes</i> . ---		
<i>Simulium</i> spp. -----	5	291
<i>Siphonaptera</i> -----	2	58
	6	476-477
	7	555
	8	613
	9	662
<i>Sitona cylindricollis</i> Fahraeus -----	3	82
	4	163
	5	223, 244
	7	492
	9	634
<i>Sitona flavescens</i> Marsh. -----	4	163
<i>Sitona hispidula</i> (F.) -----	5	244
	6	422, 440

	No.	Page
<i>Sitona lineata</i> L. -----	4	164
	5	226
<i>Sitophilus granarius</i> (L.) -----	1	35
	3	125
	4	220
	5	294
<i>Sitophilus oryza</i> (L.) -----	1	35
	4	220
	5	294
	9	668
<i>Sitotroga cerealella</i> (Oliv.) -----	9	668
<i>Solenopotes capillatus</i> End. -----	7	558
<i>Solenopsis geminata</i> (F.) -----	7	559
<i>Solenopsis geminata rufa</i> Jerd. -----	6	481
<i>Solenopsis molesta</i> (Say) -----	7	559
<i>Solenopsis xyloni</i> McCook -----	1	34
	2	60
	3	123
	4	219
	5	292
	7	559
	8	617
	9	665
<i>Solubea pugnax</i> F. -----	3	83
	7	510
<i>Spharagemon bolli</i> Scudd. -----	5 (Sup.)	339, 375
<i>Spharagemon collare</i> (Scudd.) -----	5 (Sup.)	320, 394
<i>Spharagemon equale</i> Say -----	5 (Sup.)	320, 322, 327, 336, 350, 351, 355, 363, 368, 371, 372, 376, 384, 394
<i>Spharagemon humile</i> Morse -----	5 (Sup.)	320, 322
<i>Sphinx lineata</i> (F.) -----	3	76
	5	238
	6	414
<i>Spilonota ocellana</i> (D. & S.) -----	3	87
	5	226
	6	425
	7	512
<i>Stegobium paniceum</i> (L.) -----	1	36
	2	62
	4	221
	5	293
	7	560
	8	619
	9	667
<i>Stenopelmatus fuscus</i> Hald. -----	6	472
	7	550
<i>Stephanitis pyrioides</i> Scott -----	4	211
	5	284
	8	609
<i>Stephanitis rhododendri</i> Horv. -----	1	29
	5	287
	6	474
<i>Sterictiphora cellularis</i> Say -----	6	446
	7	530

	No.	Page
Sternochetus lapathi (L.) -----	1	26
	5	282
	6	466
	8	607
Stethophyma gracilis Scudd. -----	5 (Sup.)	363
Stictia carolina F. -----	5	291
	8	616
Stictocephala festina (Say) -----	5	262
	6	422
	8	589
Stilpnotia salicis (L.) -----	6	455
	10	814
Stomoxys calcitrans (L.) -----	1	32
	2	58
	3	120
	4	216
	5	290-291
	6	479
	7	557
	8	615
	10	816
Stomoxys spp. -----	6	479
Straussia longipennis (Wied.) -----	9	661
Strymon melinus (Hbn.) -----	6	451
Supella supellectilium (Serv.) -----	1	34
	3	123
	5	293
	6	482
	7	559
	9	666
Symmerista albifrons A. & S. -----	7	546
	8	605
Symmerista albifrons albicosta Hbn. -----	8	605
Symphoromyia sp. -----	9	662
Syrbula admirabilis Uhl. -----	5 (Sup.)	330, 331, 333, 346, 355, 368, 369
Systema blanda Melsh. -----	5	256
	6	440
Systema sp. -----	4	194
Systema taeniata (Say) -----	6	420, 436
Tabanidae -----	4	216
	8	616
Tabanus abactor Phil. -----	9	664
Tabanus americanus Forst. -----	5	291
Tabanus atratus F. -----	8	616
Tabanus lineola F. -----	8	616
Tabanus productus Hine -----	6	479
Tabanus punctifer O. S. -----	5	291
	6	479
	7	558
	8	616

	<u>No.</u>	<u>Page</u>
Tabanus spp. -----	9	664
Tachypterellus quadrigibbus (Say) -----	4	171
Taeniothrips inconsequens (Uzel) -----	1	17
	2	46
	3	92
Taeniothrips simplex (Morison) -----	1	28
	2	57
	3	115
	4	212
	6	473
	7	552
	8	610
	9	660
Taniva albolineana Kearf. -----	1	29
	3	111
	4	208
	6	467
Tarsonemus pallidus Banks -----	8	609
Tendipes sp. -----	6	476
	7	556
Tenebrio molitor L. -----	1	35
	9	668
Tenebrio obscurus F. -----	3	125
Tenebrio sp. -----	1	35
Tenebroides mauritanicus L. -----	4	220
	9	668
Tenthredinidae -----	3	117
	4	204, 209
Tenuipalpus erythrus Ewing -----	1	27
Tetralopha sp. -----	8	573
Tetramorium caespitum(L.) -----	1	34
	2	60
	6	481-482
Tetraneura ulmisacci Patch -----	7	544
Tetranobia sp. -----	3	79
Tetranychina tritici Ewing -----	3	79
Tetranychus althaeae Von Hanst. -----	3	109
Tetranychus atlanticus McG. -----	7	526
Tetranychus pacificus McG. -----	7	514
Tetranychus sexmaculatus Riley -----	6	432
	7	520
	8	584
Tetranychus spp. -----	1	12, 17, 18
	2	47, 49, 56, 61
	3	113
	8	589
	6	441
	7	526
Tetranychus telarius (L.) -----	3	77, 104
	4	192, 200
	6	445, 471
	7	526
	8	573, 609



	<u>No.</u>	<u>Page</u>
Tetraonyx quadrimaculata F. -----	6	453
Tetrastichus asparagi Crawford. -----	7	529
Tettigoniidae sp. -----	5 (Sup.)	330, 331, 333, 334, 339, 340, 341
Theobaldia inornata Will. -----	7	555
	8	613
Theobaldia melanura Coq. -----	7	554
Theobaldia spp. -----	3	117
Thermobia domestica Pack. -----	7	561
Tholeria reversalis Guen. -----	1	30
Thricolepis inornata Horn -----	9	655
Thrips tabaci Lind. -----	4	189, 190
	5	266
	6	445, 446
	7	530
	8	593
	9	647
Thyanta custator (F.) -----	5	258
Thyanta rugulosa Say -----	6	447
Thylodrias contractus Mots. -----	6	483
Thyridopteryx ephemeraeformis (Haw.) -----	1	24
	5	273
	6	454-455
	7	541
	8	601-602
	9	653
Thyrillus pacificus (Uhl.) -----	5	241
Thysanoptera -----	2	57
	3	117
	4	197, 213
	5	263, 270
Tiphia vernalis Roh. -----	3 (Sup.)	127-129, 132-134
Tiphia popilliavora Roh. -----	3 (Sup.)	127, 130, 135-137
Tineola biselliella (Hum.) -----	2	63
Tineola spp. -----	2	63
Tineola walsinghami Busck -----	3	125
	7	560
	9	666
Tingitidae -----	5	287
Tomostethus multicinctus Roh. -----	4	201
Toumeyella liriodendri (Gmel.) -----	9	657
Toumeyella numismaticum (P. & M.) -----	5	280
Toumeyella parvicorni Ckll. -----	1	26
Toumeyella turgida Ckll. -----	1	29
	3	116
	9	661
Toxoptera graminum (Rond.) -----	1	10, 12-13
	2	37, 40
	3	67, 78-79
	4	159
Toxotrypana curvicauda Gerst. -----	4	180
Trachelus tabidus (F.) -----	10	800-801

	No.	Page
Trachyrhachis kiowa Thos. -----	5 (Sup.)	320, 322, 324, 350, 351, 355, 363, 368, 376, 384, 385, 394
Trachyrhachis kiowa fuscifrons (Stal) -----	5 (Sup.)	330, 368, 394
Trachyrhachis pistrinaria -----	5 (Sup.)	364
Tremex columba (L.) -----	4	201
	9	655
Trialeurodes abutilonea Hald. -----	8	589
Trialeurodes vaporariorum (Westw.) -----	7	550
Trialeurodes variabilis Quaint. -----	8	584
Triatoma longipes Barber -----	6	478
Triatoma protracta Uhl. -----	7	556
Triatoma rubida Uhl. -----	6	478
Triatoma sanguisuga (Lec.) -----	7	556
	8	614
Tribolium castaneum (Hbst.) -----	2	64
	3	126
	4	220
	9	668
Tribolium confusum Duv. -----	1	35
	2	64
	3	125, 126
	4	220
	5	293
Tribolium madens Charp. -----	1	35
	3	125
	4	220
Tribolium sp. -----	1	35
	2	64, 65
Trichobaris bridwelli Barber -----	5	267
Trichobaris trinotata (Say) -----	8	587
Trichodectes ovis L. -----	2	59
	4	217
Trichodectes scalaris Nitz. -----	2	59
Trichogramma sp. -----	7	511
Trifidaphis phaseoli (Pass.) -----	3	82
Trimerotropis agrestis McN. -----	5 (Sup.)	394
Trimerotropis campestris McNeill -----	5 (Sup.)	320, 322, 324, 350, 363 394
Trimerotropis cincta Thos. -----	5 (Sup.)	320, 322, 376
Trimerotropis citrina Scudd. -----	5 (Sup.)	330, 368, 369
Trimerotropis gracilis sordida Walk. -----	5 (Sup.)	350
Trimerotropis laticincta Sauss. -----	5 (Sup.)	320, 322, 336, 350, 355, 363, 376, 394
Trimerotropis latifasciata Scudd. -----	5 (Sup.)	358, 384
Trimerotropis pallidipennis Burm. -----	4	142
	5 (Sup.)	320, 322, 327, 350, 359, 368, 369, 371, 372, 384
	6	401
Trimerotropis pallidipennis salina McN. ---	5 (Sup.)	320, 322, 363, 376
Trimerotropis pistrinaria Sauss. -----	5 (Sup.)	350, 394
Trimerotropis sparsa Thos. -----	5 (Sup.)	384
Trimerotropis suffusus Scudd. -----	5 (Sup.)	320, 322, 350, 371
Trioza diospyri (Ashm.) -----	4	179
Trioza magnoliae (Ashm.) -----	3	115

	<u>No.</u>	<u>Page</u>
<i>Trioza maura</i> Foerst. -----	7	549
<i>Trombidium</i> sp. -----	5 (Sup.)	311
<i>Tropidolophus formosus</i> Say -----	5 (Sup.)	320, 380
<i>Tyloclerma fragariae</i> (Riley) -----	5	267
	8	594
	9	647
<i>Typhlocyba pomaria</i> McAtee -----	4	171
<i>Typhlocyba rosae</i> (L.) -----	8	612
<i>Typhlocyba</i> sp. -----	5	287
<i>Urbanus proteus</i> (L.) -----	9	645
<i>Utetheisa bella</i> (L.) -----	3	76
<i>Vanessa atalanta</i> (L.) -----	5	237
<i>Vanessa cardui</i> (L.) -----	4	153
	5	237-238
	6	473
<i>Vespa crabo germana</i> Christ -----	8	617
<i>Wasmannia auropunctata</i> (Roger) -----	6	481
	8	616
<i>Wohlfahrtia meigenii</i> Shiner -----	6	480
<i>Xanthippus corallipes</i> Hald. -----	5 (Sup.)	320
<i>Xenopsylla cheopis</i> (Rothsch.) -----	6	477
<i>Xyela</i> spp. -----	2	52
	4	207
<i>Xylococcus betulae</i> Perg. -----	6	456
	7	542
	3	124
<i>Xylocopa virginica</i> (Drury) -----	4	221
<i>Xylocrius agassizi</i> Lec. -----	2	46
	4	221
<i>Xylotrechus colonus</i> (F.) -----	3	124
<i>Xylotrechus quadrimaculatus</i> Hald. -----	1	24
<i>Zeiraphera ratzeburgiana</i> Ratz. -----	6	455
<i>Zeugophora scutellaris</i> Suffr. -----	7	548
<i>Zophodia convolutella</i> (Hbn.) -----	4	177











